

## Datasheet: VMA00457KT

<b>Description:</b>	SDHB ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	SDHB
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb™ Monoclonal
<b>Clone:</b>	2A3
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	2 Westerns

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	Reacts with: Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species.
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from ascites
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 50% Glycerol
<b>Immunogen</b>	Full length human recombinant protein of human SDHB produced in <i>E. Coli</i>
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P21912</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">6390</a> SDHB <a href="#">Related reagents</a>

<b>Synonyms</b>	SDH, SDH1
<b>Specificity</b>	<p><b>Mouse anti Human SDHB antibody</b> recognizes SDHB, also known as iron-sulfur subunit of complex II.</p> <p>Complex II of the respiratory chain, which is specifically involved in the oxidation of succinate, carries electrons from FADH to Coenzyme Q. The complex is composed of four nuclear-encoded subunits and is localized in the mitochondrial inner membrane. The iron-sulfur subunit is highly conserved and contains three cysteine-rich clusters which may comprise the iron-sulfur centers of the enzyme. Sporadic and familial mutations in SDHB gene result in development of paragangliomas (<a href="#">PGL4</a>), pheochromocytoma (<a href="#">PCC</a>) or paraganglioma and gastric stromal sarcoma (<a href="#">PGGSS</a>) suggesting a link between mitochondrial dysfunction and tumorigenesis. (provided by RefSeq, Jul 2008).</p> <p>Mouse anti Human SDHB antibody detects a band of 32 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
<b>Western Blotting</b>	Anti SDHB detects a band of approximately 32 kDa in HepG2 cell lysate
<b>Instructions For Use</b>	Please refer to the <a href="#">PrecisionAb western blotting protocol</a> . For additional information on secondary antibody dilution and exposure time see product web page.
<b>Lysate Composition</b>	400µg HepG2 lysate lyophilized in RIPA buffer.
<b>Lysate Reconstitution</b>	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
<b>Storage</b>	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
<b>Guarantee</b>	As supplied, 12 months from date of despatch.
<b>Acknowledgements</b>	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10048 #10561 available at:</p> <p>Antibody (10048): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf</a></p> <p>Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a></p>
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

### Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

'M338447:181217'

**Printed on 16 Mar 2019**

---

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)