

Datasheet: VMA00471KT

Description:	PSMA2 ANTIBODY WITH CONTROL LYSATE
Specificity:	PSMA2
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	4D12
Isotype:	lgG2b
Quantity:	2 Westerns

Product Details

Applications

Links

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatography on Protein G from ascites
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 50% Glycerol
Immunogen	Recombinant protein fragment corresponding to amino acids 50-234 of human PSMA2 produced in <i>E. coli</i>
External Database	

P25787
Entrez Gene:

UniProt:

Related reagents

5683 PSMA2 Related reagents

Synonyms	HC3, PSC3
Specificity	Mouse anti Human PSMA2 antibody recognizes the proteasome subunit alpha type-2, also known as macropain subunit C3, multicatalytic endopeptidase complex subunit C3, proteasome component C3, proteasome subunit HC3 or proteasome subunit alpha type-2.
	The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. PSMA2 gene encodes a member of the peptidase T1A family, that is a 20S core alpha subunit (provided by RefSeq, Jul 2008).
	Mouse anti Human PSMA2 antibody detects a band of 25 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti PSMA2 detects a band of approximately 25 kDa in MOLT-4 cell lysate
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg MOLT-4 lysate lyophilized in RIPA buffer.
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190μl DI H₂O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT. If using BME reconstitute the lyophilized lysate with 180μl DI H₂O, add 200μl 2x Laemmli Sample
	Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 #10561 available at: Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Europe

Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M338154:181217'

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint