

## Datasheet: VMA00496 BATCH NUMBER 159989

Description:	MOUSE ANTI DIACYLGLYCEROL KINASE ALPHA
Specificity:	DIACYLGLYCEROL KINASE ALPHA
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI3G7
Isotype:	lgG2a
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	•			1/1000		
	criteria within Bio-Rad how we validate our P	l <b>'s ongoin</b> <b>recisionA</b> hique this d	<b>g antiboo</b> <b>b range</b> . loes not n	<b>ly validation program</b> Where this product ha ecessarily exclude its	e defined performance nme. Click <u>here</u> to learn s not been tested for use in such procedures.		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by	y affinity cł	nromatogi	raphy from tissue cultu	ire supernatant		
Buffer Solution	Phosphate buffered sali	ne					
Preservative Stabilisers	0.09% Sodium Azide (N 1% Bovine Serum Albur	0,					
Approx. Protein Concentrations	IgG concentration 0.5 m	ng/ml					
Immunogen	Full length recombinant	human dia	acylglycer	ol kinase alpha (DGKA	A, NP_001336) produced		

External Database Links	UniProt: P23743 Related reagents
	123745 Related reagents
	Entrez Gene:
	1606 DGKA Related reagents
Synonyms	DAGK, DAGK1
Specificity	Mouse anti Human diacylglycerol kinase alpha antibody recognizes diacylglycerol kinase alpha (DGKA), also known as 80 kDa diacylglycerol kinase or DAG kinase alpha.
	The protein encoded by DGKA belongs to the eukaryotic diacylglycerol kinase family. It acts as a modulator that competes with protein kinase C for the second messenger diacylglycerol in intracellular signaling pathways. It also plays an important role in the resynthesis of phosphatidylinositols and phosphorylating diacylglycerol to phosphatidic acid. Alternative splicing occurs at this locus and four transcript variants encoding the same protein have been identified. (provided by RefSeq, Jul 2008).
	Mouse anti Human diacylglycerol kinase alpha antibody detects a band of 83 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti diacylglycerol kinase alpha detects a band of approximately 83 kDa in Jurkat cell lysate
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: <u>https://www.bio-rad-antibodies.com/SDS/VMA00496</u> Antibody (10048)
Regulatory	For research purposes only

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South	Tel: +1 800 265 7376	/orldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.co	om	Email: antibody_sales_uk@bio-rad	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392609:211116'

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint