

Datasheet: VMA00532KT

Description:	BIRC2 ANTIBODY WITH CONTROL LYSATE
Specificity:	BIRC2
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	AB01/3B4
Isotype:	lgG2b
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatography culture supernatant	on Protein G from tissue
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Immunogen	E. coli-derived recombinant human BIRC2 (amino acids 1 - 618)	
External Database Links	UniProt: Q13490 Related reagents Entrez Gene: 329 BIRC2 Related reagents	
Synonyms	API1, IAP2, MIHB, RNF48	

Specificity	
-------------	--

Mouse anti Human BIRC2 antibody recognizes the baculoviral IAP repeat-containing protein 2, also known as IAP homolog B, cIAP1, RING finger protein 48, TNFR2-TRAF-signaling complex protein 2, apoptosis inhibitor 1 or inhibitor of apoptosis protein 2.

The protein encoded by BIRC2 gene is a member of a family of proteins that inhibits apoptosis by binding to tumor necrosis factor receptor-associated factors TRAF1 and TRAF2, probably by interfering with activation of ICE-like proteases. This encoded protein inhibits apoptosis induced by serum deprivation and menadione, a potent inducer of free radicals. Alternatively spliced transcript variants encoding different isoforms have been found for BIRC2 (provided by RefSeq, Jan 2012).

Mouse anti Human BIRC2 antibody detects a band of 70 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti BIRC2 detects a band of approximately 70 kDa in K562 cell lysates

Instructions For Use

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg K562 lysate lyophilized in RIPA buffer

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
 - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Shelf Life

As supplied, 12 months from date of despatch.

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10040 #10561 available at:

Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 America

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 'M336341:181214'

Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint