

Datasheet: VMA00537KT

| | |
|----------------------|-------------------------------------------|
| Description: | 14-3-3 THETA ANTIBODY WITH CONTROL LYSATE |
| Specificity: | 14-3-3 THETA |
| Format: | Purified |
| Product Type: | PrecisionAb™ Monoclonal |
| Clone: | AB03/2D8 |
| Isotype: | IgG2b |
| Quantity: | 2 Westerns |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | ■ | | | 1/1000 |

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

| | |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target Species | Human |
| Species Cross Reactivity | Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. |
| Product Form | Purified IgG - liquid |
| Preparation | 20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
| Immunogen | <i>E. coli</i> -derived recombinant human 14-3-3 theta (amino acids 1 - 245) |
| External Database Links | <p>UniProt: P27348 Related reagents</p> <p>Entrez Gene: 10971 YWHAQ Related reagents</p> |

| | |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specificity | <p>Mouse anti Human 14-3-3 theta antibody recognizes the 14-3-3 protein theta, also known as 14-3-3 protein T-cell, 14-3-3 protein tau, 14-3-3 protein theta or tyrosine 3-monooxygenase/tryptophan 5-monooxygenase activation protein, theta polypeptide.</p> <p>The YWHAQ gene product belongs to the 14-3-3 family of proteins which mediate signal transduction by binding to phosphoserine-containing proteins. This highly conserved protein family is found in both plants and mammals, and this protein is 99% identical to the mouse and rat orthologs. YWHAQ expression is upregulated in patients with amyotrophic lateral sclerosis. It contains in its 5' UTR a 6 bp tandem repeat sequence which is polymorphic, however, there is no correlation between the repeat number and the disease (provided by RefSeq, Jul 2008).</p> <p>Mouse anti Human 14-3-3 protein theta antibody detects a band of 28 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p> |
| Western Blotting | Anti 14-3-3 Theta detects a band of approximately 28 kDa in HeLa cell lysates |
| Instructions For Use | Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page. |
| Lysate Composition | 400µg HeLa lysate lyophilized in RIPA buffer |
| Lysate Reconstitution | <p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p> |
| Storage | <p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p> |
| Shelf Life | As supplied, 12 months from date of despatch. |
| Acknowledgements | PrecisionAb™ is a trademark of Bio-Rad Laboratories. |
| Health And Safety Information | <p>Material Safety Datasheet documentation #10040 #10561 available at:</p> <p>Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</p> <p>Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</p> |
| Regulatory | For research purposes only |

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2b NEGATIVE CONTROL \(MCA691\)](#)

'M336047:181214'

| | | | | | |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|

Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)