

## Datasheet: VMA00549KT

| Description:         | CHP2 ANTIBODY WITH CONTROL LYSATE |  |  |
|----------------------|-----------------------------------|--|--|
| Specificity:         | CHP2                              |  |  |
| Format:              | Purified                          |  |  |
| <b>Product Type:</b> | PrecisionAb™ Monoclonal           |  |  |
| Clone:               | CPTC19                            |  |  |
| Isotype:             | IgG2a                             |  |  |
| Quantity:            | 2 Westerns                        |  |  |

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                  | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting |     |    |                | 1/1000             |

**PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.** 

| Target Species              | Human   |  |  |
|-----------------------------|---|--|--|
| Species Cross<br>Reactivity | Reacts with: Mouse, Rat  N.B. Antibody reactivity and working conditions may vary between species.              |  |  |
| Product Form                | Purified IgG - liquid   |  |  |
| Preparation                 | 20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant |  |  |
| Buffer Solution             | Phosphate buffered saline   |  |  |
| Preservative<br>Stabilisers | 0.09% Sodium Azide (NaN <sub>3</sub> )  |  |  |
| Immunogen                   | Recombinant protein of human CHP2   |  |  |
| External Database<br>Links  | UniProt:  O43745 Related reagents  Entrez Gene:  63928 CHP2 Related reagents                                    |  |  |

| Synonyms                         | HCA520   |
|----------------------------------|--|
| Specificity                      | <b>Mouse anti Human CHP2 antibody</b> recognizes the calcineurin like EF-hand protein 2 also known as hepatocellular carcinoma antigen gene 520.   |
|                                  | CHP2 is a small calcium-binding protein that regulates cell pH by controlling plasma membrane-type Na+/H+ exchange activity. This protein shares sequence similarity with calcineurin B and can bind to and stimulate the protein phosphatase activity of calcineurin A (CnA) and functions in the calcineurin/NFAT (nuclear factor of activated T cells) signaling pathway. Another member of the CHP subfamily, Calcineurin B homologous protein 1, is located on Chromosome 15 and is an inhibitor of calcineurin activity and has a genetic phenotype associated with Parkinson's Disease (OMIM:606988). This gene was initially identified as a tumor-associated antigen and was previously referred to as Hepatocellular carcinoma-associated antigen 520 (provided by RefSeq, Jul 2013) |
|                                  | Mouse anti Human CHP2 antibody detects a band of 29 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  |
| Western Blotting                 | Anti CHP2 detects a band of approximately 29 kDa in K562 cell lysates  |
| Instructions For Use             | Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.  |
| Lysate Composition               | 400μg K562 lysate lyophilized in RIPA buffer   |
| Lysate Reconstitution            | <ul> <li>If using DDT reconstitute the lyophilized lysate with 190μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 10μl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180μl DI H<sub>2</sub>O, add 200μl 2x Laemmli Sample Buffer and 20μl BME.</li> </ul>  |
|                                  | Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.   |
| Storage                          | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  |
|                                  | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.   |
| Shelf Life                       | As supplied, 12 months from date of despatch.  |
| Acknowledgements                 | PrecisionAb™ is a trademark of Bio-Rad Laboratories.   |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>   |
| Regulatory                       | For research purposes only   |
|                                  |  |

# **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

**Recommended Negative Controls** 

### MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com Email: antibody\_sales\_uk@bio-rad.com Email: antibody\_sales\_de@bio-rad.com

'M336590:181214'

#### Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint