

# Datasheet: VMA00560KT

Description:	E-FABP ANTIBODY WITH CONTROL LYSATE		
Specificity:	E-FABP		
Format:	Purified		
Product Type:	PrecisionAb™ Monoclonal		
Clone:	CPTC30		
lsotype:	lgG2a		
Quantity:	2 Westerns		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol					
	recommendations, please visit www.bio-rad-antibodies.com/protocols.					
	Western Blotting	Yes	No	Not Determined	Suggested Dilution 1/1000	
	western blotting	-			1/1000	
	<b>PrecisionAb antibodies h</b> antibody has been validate use in a particular techniqu optimization may be requir	ed at the su ue this doe	uggested dil s not neces	ution. Where this produc sarily exclude its use in s	t has not been tested for	
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	20µl Mouse monoclonal an culture supernatant	ntibody pur	ified by affir	nity chromatography on F	Protein G from tissue	
Buffer Solution	Phosphate buffered saline					
Preservative Stabilisers	0.09% Sodium Azide (NaN	l <sub>3</sub> )				
Immunogen	Recombinant protein of human E-FABP					
External Database Links	UniProt: <u>Q01469</u> <u>Related rea</u> Entrez Gene:	agents				
		d reagents				
Specificity	<b>Mouse anti Human E-FAE</b> FABP5 or epidermal-type fa				protein 5, also known as	

	The FABP5 gene encodes the fatty acid binding protein found in epidermal cells, and was first identified as being upregulated in psoriasis tissue. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. FABPs may play roles in fatty acid uptake, transport, and metabolism. Polymorphisms in this gene are associated with type 2 diabetes. The human genome contains many pseudogenes similar to this locus (provided by RefSeq, Feb 2011).				
	Mouse anti Human E-FABP antibody detects a band of 15 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti E-FABP detects a band of approximately 15 kDa in Jurkat cell lysates				
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.				
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer				
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>				
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.				
Shelf Life	As supplied, 12 months from date of despatch.				
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>				
Regulatory	For research purposes only				

### Related Products

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

#### **Recommended Negative Controls**

MOUSE IgG2a NEGATIVE CONTROL (MCA929)

North & South	Tel: +1 800 265 7376	Worldwide	
America	Fax: +1 919 878 3751		
	Email: antibody_sales_us@bio-rad.com		

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

'M336850:181214'

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint