

Datasheet: VMA00579

BATCH NUMBER 161202

Description:	MOUSE ANTI NFKB p52
Specificity:	NFKB p52
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	9D2
Isotype:	IgG2b
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	■			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatography on Protein G from ascites
Buffer Solution	HEPES buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin <50% Glycerol
Approx. Protein Concentrations	IgG concentration 0.5 mg/ml

Immunogen *E. coli*-derived recombinant human NFκB p52 (amino acids 1 - 454)

External Database

Links

UniProt:

[Q00653](#)

[Related reagents](#)

Entrez Gene:

[4791](#)

NFKB2

[Related reagents](#)

Synonyms

LYT10

Specificity

Mouse anti Human NFκB p52 antibody recognizes nuclear factor NF-kappa-B p100 subunit, also known as lymphocyte translocation chromosome 10 protein, nuclear factor Kappa-B subunit 2, nuclear factor of Kappa light chain gene enhancer in B cells 2, oncogene Lyt-10 or transcription factor NFKB2.

The NFKB2 gene encodes one of the subunits of the transcription factor complex nuclear factor-kappa-B (NFκB). The NFκB transcription factor complex is expressed in numerous cell types and functions as a central activator of genes involved in inflammation and immune function. The NFκB complex can consist of different subunits that form both homo- or heterodimers which bind specific kappa-B elements in target genes. NFKB2 encodes the p100 subunit that is processed into the active p52 subunit. This protein can function as both a transcriptional activator and repressor, depending on its dimer partner. Alternate splicing results in both coding and non-coding variants (provided by RefSeq, May 2012).

Mouse anti Human NFκB p52 antibody detects a band of 52 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti NFκB p52 detects a band of approximately 52 kDa in Raji cell lysates

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #20359 available at:
<https://www.bio-rad-antibodies.com/SDS/VMA00579>
Antibody (20359)

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	To find a
----------------------------------	---	------------------	---	---------------	---	------------------

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M370294:200529'

Printed on 01 May 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)