

Datasheet: VMA00599

| HUMAN ANTI UBE2D2 |
|------------------------|
| UBE2D2 |
| Purified |
| PrecisionAb Monoclonal |
| HuCAL Fab bivalent |
| 100 μΙ |
| |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting | | | | 1/1000 |

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

| Target Species | Human |
|-----------------------------|---|
| Species Cross Reactivity | Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form | Purified IgG - liquid |
| Preparation | Human monoclonal antibody purified by metal chelate affinity chromatography from <i>E. c</i> extract. |
| Source | E.coli |
| Buffer Solution | Phosphate buffered saline. |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃). |

| Immunogen | |
|------------------------------------|---|
| J | E. coli-derived full length recombinant human UBE2D2 |
| External Database Links | UniProt: |
| | P62837 Related reagents |
| | Entrez Gene: |
| | 7322 UBE2D2 Related reagents |
| Synonyms | UBC4, UBC5B, UBCH4, UBCH5B |
| Specificity | Human anti Human UBE2D2 antibody recognizes the ubiquitin-conjugating enzyme E2 |
| | D2, also known as p53-regulated ubiquitin-conjugating enzyme 1, ubiquitin carrier protein D2, ubiquitin-conjugating enzyme E2-17 kDa 2 or Ubiquitin-protein ligase D2. |
| | Regulated degradation of misfolded, damaged or short-lived proteins in eukaryotes occurs via the ubiquitin (Ub)-proteasome system (UPS). An integral part of the UPS system is the ubiquitination of target proteins and covalent linkage of Ub-containing proteins to form polymeric chains, marking them as targets for 26S proteasome-mediated degradation. Ubiquitination of proteins is mediated by a cascade of enzymes which includes E1 (ubiquitin activating), E2 (ubiquitin conjugating), and E3 (ubiquitin ligases) enzymes. UBE2D2 encodes a member of the E2 enzyme family. Substrates of this enzyme include the tumor suppressor protein p53 and peroxisomal biogenesis factor 5 (PEX5). Alternative splicing results in multiple transcript variants of UBE2D2 (provided by RefSeq, May 2013). Human anti Human UBE2D2 antibody detects a band of 18 kDa. The antibody has been |
| | · · · · · · · · · · · · · · · · · · · |
| | extensively validated for western blotting using whole cell lysates. |
| Western Blotting | |
| | extensively validated for western blotting using whole cell lysates. Human anti UBE2D2 antibody detects a band of approximately 18 kDa in NIH/3T3 cell |
| | extensively validated for western blotting using whole cell lysates. Human anti UBE2D2 antibody detects a band of approximately 18 kDa in NIH/3T3 cell lysates. This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for |
| Western Blotting Storage Guarantee | extensively validated for western blotting using whole cell lysates. Human anti UBE2D2 antibody detects a band of approximately 18 kDa in NIH/3T3 cell lysates. This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the protein. Storage in |
| Storage Guarantee | extensively validated for western blotting using whole cell lysates. Human anti UBE2D2 antibody detects a band of approximately 18 kDa in NIH/3T3 cell lysates. This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the protein. Storage in frost-free freezers is not recommended. |
| | extensively validated for western blotting using whole cell lysates. Human anti UBE2D2 antibody detects a band of approximately 18 kDa in NIH/3T3 cell lysates. This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C. Avoid repeated freezing and thawing as this may denature the protein. Storage in frost-free freezers is not recommended. |

Related Products

Recommended Secondary Antibodies

Goat Anti Human IgG F(ab')2 (STAR126...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\label{lem:lemail:antibody_sales_uk@bio-rad.com} \\ Email: antibody_sales_uk@bio-rad.com \\ Email: antibody_sales_uk@bio-rad.com \\ \\ Email: antibody_sales_de@bio-rad.com \\ \\ \\ Email: antibody_s$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M421429:230706'

Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint