

Datasheet: VMA00604

Description:	MOUSE ANTI APC2
Specificity:	APC2
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	OTI1B11
Isotype:	lgG1
Quantity:	100 μΙ

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Mouse monoclonal antibody purified by affinity chromatograpy on Protein G from ascites
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin

	<50% Glycerol
Immunogen	HEK293-derived full length recombinant human APC2
External Database Links	UniProt: Q9UJX6 Related reagents
	Entrez Gene:
	29882 ANAPC2 Related reagents
Synonyms	APC2, KIAA1406
Specificity	Mouse anti Human APC2 antibody recognizes the anaphase promoting complex subunit 2 also known as cyclosome subunit 2.
	A large protein complex, termed the anaphase-promoting complex (APC) or the cyclosome, promotes metaphase-anaphase transition by ubiquitinating its specific substrates such as mitotic cyclins and anaphase inhibitor, which are subsequently degraded by the 26S proteasome. Biochemical studies have shown that the vertebrate APC contains eight subunits. The composition of the APC is highly conserved in organisms from yeast to humans. The product of this gene is a component of the complex and shares sequence similarity with a recently identified family of proteins called cullins, which may also be involved in ubiquitin-mediated degradation (provided by RefSeq, Jul 2008).
	Mouse anti Human APC2 antibody detects a band of 100kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Mouse anti APC2 antibody detects a band of approximately 100 kDa in HEK293 cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10048 available at: Antibody (10048): https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf
5	_

Related Products

Regulatory

Recommended Secondary Antibodies

For research purposes only

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M370314:200529'

Printed on 29 Aug 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint