

Datasheet: VMA00607KT

Description:	STUB1 ANTIBODY WITH CONTROL LYSATE
Specificity:	STUB1
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	HuCAL Fab bivalent
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Rat N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	20µl Human monoclonal antibody purified by metal chelate affinity chromatography from <i>E. coli</i> extract
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	<i>E. coli</i> -derived recombinant human STUB1 (aa 1 - 303)
External Database Links	<p>UniProt: Q9UNE7 Related reagents</p> <p>Entrez Gene: 10273 STUB1 Related reagents</p>
Synonyms	CHIP

Specificity	<p>Human anti Human STUB1 antibody recognizes STUB1, also known as E3 ubiquitin-protein ligase CHIP, CLL-associated antigen KW-8, STIP1 homology and U-box containing protein 1 or heat shock protein A binding protein 2.</p> <p>This gene encodes a protein containing tetratricopeptide repeat and a U-box that functions as a ubiquitin ligase/cochaperone. The encoded protein binds to and ubiquitinates shock cognate 71 kDa protein (Hspa8) and DNA polymerase beta (Polb), among other targets. Mutations in this gene cause spinocerebellar ataxia, autosomal recessive 16. Alternative splicing results in multiple transcript variants. There is a pseudogene for this gene on chromosome 2 (provided by RefSeq, Jun 2014).</p> <p>Human anti Human STUB1 antibody detects a band of 35 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
Western Blotting	Human anti STUB1 antibody detects a band of approximately 35 kDa in MCF7 cell lysates
Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg MCF7 lysate lyophilized in RIPA buffer
Lysate Reconstitution	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
Storage	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	<p>Material Safety Datasheet documentation #10040 #10561 available at:</p> <p>Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</p> <p>Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</p>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Human IgG F(ab')₂ (STAR126...) [HRP](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)