

Datasheet: VMA00620

Description:	MOUSE ANTI SET
Specificity:	SET
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	AB02/4F6
Isotype:	lgG2b
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Immunoprecipitation	•						
	Western Blotting	•			1/1000			
	The PrecisionAb labe	l is reserv	ed for an	tibodies that meet the	e defined performance			
	criteria within Bio-Rad	d's ongoin	g antibo	dy validation program	me. Click <u>here</u> to learn			
	how we validate our F	PrecisionA	b range.	Where this product has	s not been tested for			
	use in a particular tech	nique this o	does not r	necessarily exclude its	use in such procedures.			
	Further optimization ma	•		•	·			
Target Species	Human							
Species Cross	Reacts with: Mouse							
Reactivity	N.B. Antibody reactivity	and worki	ng condit	ions may vary between	species. Cross			
	reactivity is derived fror personal communicatio further information.	-		•	•			
Product Form	Purified IgG - liquid							
Preparation	Mouse monoclonal anti culture supernatant.	body purifi	ed by affi	nity chromatograpy on	Protein G from tissue			
Buffer Solution	Phosphate buffered sal	ine.						
Preservative	0.09% Sodium Azide (N	NaN ₃).						

Stabilisers

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml.
Immunogen	<i>E. coli</i> -derived recombinant human SET (aa 1-290)
External Database Links	UniProt: <u>Q01105</u> <u>Related reagents</u>
	Entrez Gene: 6418 SET <u>Related reagents</u>
Specificity	Mouse anti Human SET antibody recognizes SET, also known as 2PP2A, IGAAD, TAF-I or SET nuclear oncogene.
	The protein encoded by this gene inhibits acetylation of nucleosomes, especially histone H4, by histone acetylases (HAT). This inhibition is most likely accomplished by masking histone lysines from being acetylated, and the consequence is to silence HAT-dependent transcription. The encoded protein is part of a complex localized to the endoplasmic reticulum but is found in the nucleus and inhibits apoptosis following attack by cytotoxic T lymphocytes. This protein can also enhance DNA replication of the adenovirus genome. Several transcript variants encoding different isoforms have been found for this gene (provided by RefSeq, Oct 2011).
	Mouse anti Human SET antibody detects a band of 41 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Mouse anti SET antibody detects a band of approximately 41 kDa in K562 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00620 Antibody (10040)
Regulatory	For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) <u>HRP</u> Recommended Negative Controls

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	l.com	Email: antibody_sales_uk@bio-rad	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M429492:240410'

Printed on 10 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint