

Datasheet: VMA00631KT

Description:	TCF4 ANTIBODY WITH CONTROL LYSATE
Specificity:	TCF4
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	AB01/4A12-6-6
Isotype:	lgG1
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting				1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species.	
Product Form	Purified IgG - liquid	
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatograpy on Protein G from tissue culture supernatant	
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Immunogen	E. coli-derived recombinant human TCF4 (aa 1-365)	
External Database Links	UniProt: P15884 Related reagents	
	Entrez Gene: 6925 TCF4 Related reagents	

Synonyms	BHLHB19, ITF2, SEF2
Specificity	Mouse anti Human TCF4 antibody recognizes TCF4, also known as transcription factor 4, SL3-3 enhancer factor 2, class B basic helix-loop-helix protein 19 or immunoglobulin transcription factor 2.
	TCF4 encodes transcription factor 4, a basic helix-loop-helix transcription factor. The encoded protein recognizes an Ephrussi-box ('E-box') binding site ('CANNTG') - a motif first identified in immunoglobulin enhancers. TCF4 is broadly expressed, and may play an important role in nervous system development. Defects in TCF4 are a cause of Pitt-Hopkins syndrome. Multiple alternatively spliced transcript variants that encode different proteins have been described (provided by RefSeq, Aug 2011).
	Mouse anti Human TCF4 antibody detects a band of 55 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Mouse anti TCF4 antibody detects a band of approximately 55 kDa in Jurkat cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg Jurkat lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H ₂ O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT If using BME reconstitute the lyophilized lysate with 180µl DI H ₂ O, add 200µl 2x Laemmli Sample
	Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

'M338690:181217'

Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint