

# Datasheet: VMA00648KT

Description:	PRPF8 ANTIBODY WITH CONTROL LYSATE				
Specificity:	PRPF8				
Format:	Purified				
Product Type:	PrecisionAb™ Monoclonal				
Clone:	AB01/4B2				
lsotype:	lgG1				
Quantity:	2 Westerns				

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol						
	recommendations, please v						
	Western Blotting	Yes	Νο	Not Determined	Suggested Dilution 1/1000		
	<b>PrecisionAb antibodies have been extensively</b> <u>validated for the western blot application</u> . The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.						
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species.						
Product Form	Purified IgG - liquid						
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatograpy on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )						
Immunogen	<i>E. coli</i> -derived recombinant human PRPF8 (aa 1-467)						
External Database Links	UniProt: <u>Q6P2Q9</u> <u>Related rea</u> Entrez Gene: <u>10594</u> PRPF8 <u>Relate</u>	agents ed reagent	<u>s</u>				

Synonyms	PRPC8
Specificity	<b>Mouse anti Human PRPF8 antibody</b> recognizes pre-mRNA-processing-splicing factor 8, also known as 220 kDa U5 snRNP-specific protein, apoptosis-regulated protein 1 or precursor mRNA processing protein.
	Pre-mRNA splicing occurs in 2 sequential transesterification steps. The protein encoded by PRPF8 is a component of both U2- and U12-dependent spliceosomes, and found to be essential for the catalytic step II in pre-mRNA splicing process. It contains several WD repeats, which function in protein-protein interactions. This protein has a sequence similarity to yeast Prp8 protein. PRPF8 is a candidate gene for autosomal dominant retinitis pigmentosa (provided by RefSeq, Jul 2008).
	Mouse anti Human PRPF8 antibody detects a band of 252 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Mouse anti PRPF8 antibody detects a band of approximately 252 kDa in HEK293 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg HEK293 lysate lyophilized in RIPA buffer
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>
Regulatory	For research purposes only

## **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com
			'M338147:181217'		

#### Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint