

Datasheet: VMA00663KT

Description:	FOXA1 ANTIBODY WITH CONTROL LYSATE			
Specificity:	FOXA1			
Format:	Purified			
Product Type:	PrecisionAb [™] Monoclonal			
Isotype:	lgG1			
Quantity:	2 Westerns			

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human				
Product Form	Purified IgG - liquid				
Preparation	20µl Mouse monoclonal antibody purified by affinity chromatograpy on Protein G from tissue culture supernatant				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)				
Immunogen	Recombinant human FOXA1 (aa 467-614)				
External Database Links	UniProt: <u>P55317</u> <u>Related reagents</u> Entrez Gene: <u>3169</u> FOXA1 <u>Related reagents</u>				
Synonyms	HNF3A, TCF3A				
Specificity	Mouse anti Human FOXA1 antibody recognizes FOXA1, also known as Hepatocyte nuclear factor 3-alpha, HNF-3-alpha, HNF-3A, TCF-3A or transcription factor 3A.				

	FOXA1 encodes a member of the forkhead class of DNA-binding proteins.					
	FOXA1 encodes a member of the forkhead class of DNA-binding proteins. These hepatocyte nuclear factors are transcriptional activators for liver-specific transcripts such as albumin and transthyretin, and they also interact with chromatin. Similar family members in mice have roles in the regulation of metabolism and in the differentiation of the pancreas and liver (provided by RefSeq, Jul 2008).					
	Mouse anti Human FOXA1 antibody detects a band of 50 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.					
Western Blotting	Mouse anti FOXA1 antibody detects a band of approximately 50 kDa in HepG2 cell lysates					
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.					
Lysate Composition	400µg HepG2 lysate lyophilized in RIPA buffer					
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample 					
	Buffer and 20µl BME.					
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.					
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.					
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.					
Shelf Life	As supplied, 12 months from date of despatch					
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories					
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>					
Regulatory	For research purposes only					

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739	
	Email: antibody_sales_u	s@bio-rad.com	Email: antibody_sales_uk@bi	o-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com 'M337051:181214'

Printed on 02 Jan 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint