

Datasheet: VMA00667KT

Description:	IKK ANTIBODY WITH CONTROL LYSATE
Specificity:	IKK
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	lgG1
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

PrecisionAb antibodies have been extensively <u>validated for the western blot application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human	
Product Form	Purified IgG - liquid	
Preparation	20μl Mouse monoclonal antibody purified by affinity chromatograpy on Protein G from tissue cultur supernatant	
Buffer Solution	Phosphate buffered saline	
Preservative	0.09% Sodium Azide (NaN ₃)	
Stabilisers	1% Bovine Serum Albumin	
Immunogen	Full length recombinant IKK	
External Database	UniProt:	
Links		
	O15111 Related reagents	
	Entrez Gene:	
	1147 CHUK Related reagents	
Synonyms	IKKA, TCF16	
Chaoifiaitr	Maure anti-Human IVV antihadu rasagnizas inhihitar et nuclear factor (NIC) kanna D kinasa	

Specificity

Mouse anti Human IKK antibody recognizes inhibitor of nuclear factor (NF) kappa-B kinase subunit alpha, also known as I-kappa-B kinase 1, IKK-a kinase, IkB kinase alpha subunit or nuclear

factor NFkappaB inhibitor kinase alpha.

CHUK encodes a member of the serine/threonine protein kinase family. The encoded protein, a component of a cytokine-activated protein complex that is an inhibitor of the essential transcription factor NF kappa-B complex, phosphorylates sites that trigger the degradation of the inhibitor via the ubiquination pathway, thereby activating the transcription factor (provided by RefSeq, Jul 2008).

Mouse anti Human IKK antibody detects bands of 85 and 87 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting	Mouse anti IKK antibody detects bands of approximately 85 and 87 kDa in K562 cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400μg K562 lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 10 μ l 2M DTT.
	- If using BME reconstitute the lyophilized lysate with 180 μ l DI H $_2$ O, add 200 μ l 2x Laemmli Sample Buffer and 20 μ l BME.
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10041 #10561 available at: Antibody (10041): https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

Related Products

Regulatory

Recommended Secondary Antibodies

For research purposes only

Worldwide

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Tel: +44 (0)1865 852 700 Europe

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M337430:181217'

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint