

Datasheet: VMA00673

Description:	MOUSE ANTI NFkB p50
Specificity:	NFkB p50
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Isotype:	lgG1
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.c	•					
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	-			1/1000		
	criteria within E how we validat use in a particul	Bio-Rad's ongoir e our PrecisionA ar technique this	n g antiboo A b range . does not n	ly validation program Where this product ha	e defined performance nme. Click <u>here</u> to learn s not been tested for use in such procedures.		
Target Species	Human						
Product Form	Purified IgG - liq	uid					
Preparation	Mouse monoclonal antibody purified by affinity chromatography on Protein G from tissue culture supernatant.						
Buffer Solution	Phosphate buffered saline.						
Preservative	0.09% Sodium A	zide (NaN ₃)					
Stabilisers	1% Bovine Seru						
Immunogen	Recombinant hu	ıman NFkB p50 (a	aa 1-200)				
External Database Links	UniProt: <u>P19838</u> <u>I</u> Entrez Gene:	Related reagents					

Specificity	Mouse anti Human NFkB p50 antibody recognizes nuclear factor NF-kappa-B p50 subunit, also known as DNA binding factor KBF1, NF-kappabeta, nuclear factor NF-kappa-B p50 subunit or nuclear factor kappa-B DNA binding subunit.				
	NFKB1 encodes a 105 kD protein which can undergo cotranslational processing by the 26S proteasome to produce a 50 kD protein. The 105 kD protein is a Rel protein-specific transcription inhibitor and the 50 kD protein is a DNA binding subunit of the NF-kappa-B (NFKB) protein complex. NFKB is a transcription regulator that is activated by various intra- and extra-cellular stimuli such as cytokines, oxidant-free radicals, ultraviolet irradiation, and bacterial or viral products. Activated NFKB translocates into the nucleus and stimulates the expression of genes involved in a wide variety of biological functions. Inappropriate activation of NFKB has been associated with a number of inflammatory diseases while persistent inhibition of NFKB leads to inappropriate immune cell development or delayed cell growth. Two transcript variants encoding different isoforms have been found for NFKB1 (provided by RefSeq, Sep 2009).				
	Mouse anti Human NFkB p50 antibody detects bands of 50 and 120 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Mouse anti NFkB p50 antibody detects bands of approximately 55 and 120 kDa in Raji cell lysates.				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch.				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/VMA00673 Antibody (10041)				
Regulatory	For research purposes only.				

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	d.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint