

Datasheet: VMA00681

Description:	MOUSE ANTI ARGONAUTE 2
Specificity:	ARGONAUTE 2
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	H01/6G5
Isotype:	IgG2a
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunoprecipitation	▪			
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - Liquid
Preparation	Mouse monoclonal antibody affinity purified on Protein G from tissue culture supernatant.
Buffer Solution	Phosphate buffered saline.
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃).
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml.
Immunogen	<i>E. coli</i> -derived recombinant protein of amino acids 1-516 of human argonaute 2

**External Database
Links**

UniProt:

[Q9UKV8](#) [Related reagents](#)

Entrez Gene:

[27161](#) EIF2C2 [Related reagents](#)

Synonyms

AGO2

Fusion Partners

Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line

Specificity

Mouse anti Human argonaute 2 antibody recognizes argonaute 2, also known as PPD, eIF2C 2, eukaryotic translation initiation factor 2C, AGO2 and protein slicer.

AGO2 encodes a member of the argonaute family of proteins which play a role in RNA interference. The encoded protein is highly basic, and contains a PAZ domain and a PIWI domain. It may interact with dicer1 and play a role in short-interfering-RNA-mediated gene silencing. Multiple transcript variants encoding different isoforms have been found for AGO2 (provided by RefSeq, Sep 2009).

Mouse anti Human argonaute 2 antibody detects a band of 90 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Mouse anti argonaute 2 detects a band of approximately 90 kDa in HeLa cell lysates.

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
<https://www.bio-rad-antibodies.com/SDS/VMA00681>
Antibody (10040)

Regulatory

For research purposes only.

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

**North & South
America**

Tel: +1 800 265 7376

Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M429553:240410'

Printed on 10 Apr 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)