## Datasheet: VMA00696 BATCH NUMBER 170725

Description:	MOUSE ANTI TRAF5
Specificity:	TRAF5
Format:	Purified
Product Type:	PrecisionAb Monoclonal
lsotype:	lgG1
Quantity:	100 µl

## **Product Details**

Applications	S This product has been reported to work in the following applications. This derived from testing within our laboratories, peer-reviewed publications or communications from the originators. Please refer to references indicated information. For general protocol recommendations, please visit www.bio								
	rad-antibodies.com/protocols.								
		Yes	No	Not Determined	Suggested Dilution				
	Western Blotting	•			1/1000				
	<b>criteria within Bio-Ra</b> <b>how we validate our</b> l use in a particular tech Further optimization m	<b>d's ongoin</b> PrecisionA inique this c	<b>g antibo</b> . <b>b range</b> . does not r	<b>dy validation program</b> Where this product ha necessarily exclude its	e defined performance nme. Click <u>here</u> to learn s not been tested for use in such procedures.				
Target Species	Human								
Species Cross	Reacts with: Mouse								
Reactivity	<b>N.B.</b> Antibody reactivit reactivity is derived fro personal communication further information.	m testing w	ithin our l	aboratories, peer-revie	wed publications or				
Product Form	Purified IgG - Liquid								
Preparation	Mouse monoclonal ant	ibody affini	ty purified	on Protein G from tiss	ue culture supernatant				
Buffer Solution	Phosphate buffered sa	line							
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albu	umin							

External Database					
Links	UniProt:				
	O00463 Related reagents				
	Entrez Gene:				
	7188 TRAF5 Related reagents				
	<u>7100</u> ITALS <u>Related reagents</u>				
Synonyms	RNF84				
Specificity	Mouse anti Human TRAF5 antibody recognizes the TNF receptor-associated factor 5, also known as RING finger protein 84.				
	The scaffold protein encoded by TRAF5 is a member of the tumor necrosis factor receptor-associated factor (TRAF) protein family and contains a meprin and TRAF homology (MATH) domain, a RING-type zinc finger, and two TRAF-type zinc fingers. TRAF proteins are associated with, and mediate signal transduction from members of the TNF receptor superfamily. This protein is one of the components of a multiple protein complex which binds to tumor necrosis factor (TNF) receptor cytoplasmic domains and mediates TNF-induced activation. Alternate transcriptional splice variants have been characterized (provided by RefSeq, Jul 2008).				
	Rabbit anti Human TRAF5 antibody detects a band of 64 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Mouse anti TRAF5 detects a band of approximately 64 kDa in Jurkat cell lysates				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety	Material Safety Datasheet documentation #10041 available at:				
Information	https://www.bio-rad-antibodies.com/SDS/VMA00696				
	Antibody (10041)				
Regulatory	For research purposes only				

## **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...)<u>HRP</u> Recommended Negative Controls

# MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21	То			
America	Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739			Fax: +49 (0) 89 8090 95 50	find a				
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com				
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets									
'M370383:200529'									

#### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint