

# Datasheet: VMA00717KT

Description:	CD10 ANTIBODY WITH CONTROL LYSATE
Specificity:	CD10
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	OTI2A3
lsotype:	lgG2b
Quantity:	2 Westerns

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications fro the originators. Please refer to references indicated for further information. For general protocol					
	recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Western Blotting	-			1/1000	
	<b>PrecisionAb antibodies h</b> antibody has been validate use in a particular techniqu optimization may be require	d at the su le this doe	iggested dil s not neces	ution. Where this produces a sarily exclude its use in	ct has not been tested for	
Target Species	Human					
Product Form	Purified IgG - Liquid					
Preparation	20µl Mouse monoclonal antibody affinity purified on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered saline					
Preservative	0.09% Sodium Azide					
Stabilisers	1% Bovine Serum Albumin					
Immunogen	<i>E. coli</i> -derived human recombinant protein of amino acids 411-750 of human CD10					
External Database Links	UniProt: <u>P08473</u> <u>Related rea</u> Entrez Gene:	igents				
	<u>4311</u> MME <u>Related r</u>	eagents				
Synonyms	EPN					
Specificity	Mouse anti Human CD10 antibody recognizes CD10, also known as atriopeptidase, neprilysin,					

CALLA and skin fibroblast elastase (SFE).

	MME encodes a common acute lymphocytic leukemia antigen that is an important cell surface marker in the diagnosis of human acute lymphocytic leukemia (ALL). This protein is present on leukemic cells of pre-B phenotype, which represent 85% of cases of ALL. This protein is not restricted to leukemic cells, however, and is found on a variety of normal tissues. It is a glycoprotein that is particularly abundant in kidney, where it is present on the brush border of proximal tubules and on glomerular epithelium. The protein is a neutral endopeptidase that cleaves peptides at the amino side of hydrophobic residues and inactivates several peptide hormones including glucagon, enkephalins, substance P, neurotensin, oxytocin, and bradykinin. MME, which encodes a 100 kDa type II transmembrane glycoprotein, exists in a single copy of greater than 45 kb. The 5' untranslated region of MME is alternatively spliced, resulting in four separate mRNA transcripts. The coding region is not affected by alternative splicing (provided by RefSeq, Jul 2008). Mouse anti Human CD10 antibody detects a band of 110 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Mouse anti CD10 detects a band of approximately 110 kDa in LNCaP cell lysates
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol.</u> For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg LNCaP lysate lyophilized in RIPA buffer
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Guarantee	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10041 #10561 available at: Antibody (10041): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u> Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>
Regulatory	For research purposes only

## **Related Products**

### **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) <u>HRP</u>

**Recommended Negative Controls** 

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Email: antibody\_sales\_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700 Europe Fax: +44 (0)1865 852 739 Email: antibody\_sales\_uk@bio-rad.com

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody\_sales\_de@bio-rad.com

'M347944:190214'

#### Printed on 16 Mar 2019

© 2019 Bio-Rad Laboratories Inc | Legal | Imprint