

Datasheet: VMA00865

Description:	MOUSE ANTI NICASTRIN
Specificity:	NICASTRIN
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	CD01/3H8
Isotype:	lgG2b
Quantity:	100 μΙ

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - Liquid
Preparation	Mouse monoclonal antibody affinity purified on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	E. coli-derived recombinant protein of amino acids 34-669 of human nicastrin

External Database Links	UniProt: Q92542 Related reagents Entrez Gene: 23385 NCSTN Related reagents
Synonyms	KIAA0253
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line
Specificity	Mouse anti nicastrin antibody recognizes nicastrin, also known as NCT.
	Nicastrin is the largest component of the gamma secetase complex, a complex that functions as a protease within the lipid bilayer to release secreted products. The gamma secretase complex is considered to be the "proteasome of the membrane" (Wolfe 2019). Nicastrin is essential for substrate recognition by gamma secretase, and has been termed the "gatekeeper" of the complex, physically limiting access to the catalytic activity of the protease and preventing proteins from being cut inappropriately (De Strooper, 2005; Urban, 2016). Appropriate proteolysis is relevant for Alzheimer's Disease, and continuous inhibition of nicastrin in the forebrain has been shown to lead no neurodegenerative features that resemble the neuron loss on Alzheimer's Disease (Ren et al. 2019). Nicastrin is overexpressed in breast cancer and relates to worse overall survival in a subset of patients. Inhibition of nicastrin has been suggested as a therapeutic goal in breast cancer (Lombardo et al. 2012).
Western Blotting	Mouse anti nicastrin antibody detects a band of approximately 112 and 127 kDa in HEK293 cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories

Related Products

Health And Safety

Information

Regulatory

Recommended Secondary Antibodies

Antibody (10040)

For research purposes only

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/VMA00865

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Europe Tel: +49 (0) 89 8090 95 21 America

Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.comd a Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

То

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M429674:240410'

Printed on 01 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint