

Datasheet: VMA00883

Description:	MOUSE ANTI HLTF
Specificity:	HLTF
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	AB03/1C7
lsotype:	lgG1
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
		Yes	No	Not Determined	Suggested Dilution	
	Immunoprecipitation	-				
	Western Blotting	•			1/1000	
	The PrecisionAb label criteria within Bio-Rad we validate our Precisi particular technique this optimization may be req	's ongoin g ionAb ran does not i	g antibod <u>ge</u>. Where necessaril	y validation program e this product has not y exclude its use in su	me. Learn about <u>how</u> been tested for use in a	
Target Species	Human					
Product Form	Purified IgG - Liquid					
Preparation	Mouse monoclonal antibody affinity purified on Protein G from tissue culture supernatant					
Buffer Solution	Phosphate buffered sali	ne				
Preservative Stabilisers	0.09% Sodium Azide					
Approx. Protein Concentrations	IgG concentration 1.0 m	g/ml				
Immunogen	E. coli-derived recombin	ant proteir	n of amino	acids 435-1009 of hu	man HLTF	

External Database Links	UniProt: Q14527 Related reagents Entrez Gene: <u>6596</u> HLTF <u>Related reagents</u>
Synonyms	HIP116A, RNF80, SMARCA3, SNF2L3, ZBU1
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line
Specificity	Mouse anti HLTF antibody recognizes helicase-like transcription factor, also known as HIP116, RNF80, SMARCA3, SNF2L3 and ZBU1.
	HLTF is a multi-domain, multi-functional enzyme, but its primary role appears to be genome stability. HLTF achieves repair of damaged DNA by associating with replication forks and binding to DNA through its substrate recognition domain (SRD). Accordingly, inactivation of HLTF results in phenotypes that suggest replication stress (Poole and Cortez 2017). HLTF appears to function as a tumor suppressor gene, with silencing of the gene encoding HLTF found in several cancer types. In cancer cell lines, sensitivity or resistance to lysosomal autophagy inhibitors appears to be genetically determined by HLTF expression. In addition to cancer, HLTF has been implicated in inflammatory bowel disease, and in the infection of cells by HIV (Elserafy et al. 2018).
Western Blotting	Mouse anti HLTF antibody detects a band of approximately 117 kDa in Jurkat cell lysates
Storage	This product is shipped at ambient temperature. Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00883
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

Product inquiries: www.bio-rad-antibodies.com/technical-support

Printed on 09 Jul 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint