Datasheet: VMA00888 BATCH NUMBER 100004233

Description:	MOUSE ANTI FLII		
Specificity:	FLII		
Format:	Purified		
Product Type:	PrecisionAb Monoclonal		
Clone:	AB01/1C12		
Isotype:	lgG1		
Quantity:	100 µl		

Product Details

Applications This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	Yes	No	Not Determined	Suggested Dilution
Immunoprecipitation	•			
Western Blotting				1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <u>here</u> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human	
Product Form	Purified IgG - Liquid	
Preparation	Mouse monoclonal antibody affinity purified on Protein G from	tissue culture supernatant
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml	
Immunogen	<i>E. coli</i> -derived recombinant protein of amino acids 801-1269 of	of human FLII

External Database Links	UniProt: Q13045 Related reagents Entrez Gene: 2314 FLII Related reagents
Synonyms	FLIL
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line
Specificity	Mouse anti FLII antibody recognizes protein flightless-1 homolog, also known as FLIL.
	FLII is a member of the actin-remodelling gelsolin protein superfamily. The protein plays a role in cell migration, co-localizing with small GTPases in actin-rich structures at the leading edge of motile cells, and interacting directly with Ras (Marei et al. 2016). FLII is involved with skin development, formation of tight junctions, and skin recovery after injury. Overexpression of FLII appears to contribute to inflammatory skin conditions, such as psoriasiform dermatitis and atopic dermatitis, and inhibition of FLII has been suggested as a potential therapy (Kopecki et al. 2018). FLII interacts with a variety of proteins involved with cell signaling, and appears to regulate activity of multiple transcription factors. It acts as a tumor suppressor in prostate cancer (Wang et al. 2016), promotes progression of breast cancer by impeding selective autophagy (He et al. 2018), and is implicated in colorectal cancer, hepatocellular carcinoma, and lung cancer (Wang et al. 2017).
Western Blotting	Mouse anti FLII antibody detects a band of approximately 148 kDa in HEK293 cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00888 Antibody (10040)
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	l.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint