Datasheet: VMA00894 BATCH NUMBER 64580662

Description:	MOUSE ANTI ACTR2
Specificity:	ACTR2
Format:	Purified
Product Type:	PrecisionAb Monoclonal
Clone:	CD01/1A6
lsotype:	lgG2b
Quantity:	100 µl

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .								
		Yes	No	Not Determined	Suggested Dilution				
	Western Blotting	•			1/1000				
Target Species	criteria within Bio-Rad' how we validate our Pr	s ongoing recisionAl	g antibod o range. \ oes not n	ly validation prograr Where this product ha ecessarily exclude its	use in such procedures.				
Species Cross	Reacts with: Mouse, Rat								
Reactivity	N.B. Antibody reactivity a reactivity is derived from personal communication further information.	and workir testing wi	thin our la	aboratories, peer-revie	ewed publications or				
Product Form	Purified IgG - Liquid								
Preparation	Mouse monoclonal antib	ody affinit	y purified	on Protein G from tis	sue culture supernatant				
Buffer Solution	Phosphate buffered salir	ne							
Preservative	0.09% Sodium Azide								

Stabilisers	
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	<i>E. coli</i> -derived recombinant protein of amino acids 1-394 of human ACTR2
External Database Links	UniProt: <u>P61160</u> <u>Related reagents</u> Entrez Gene: <u>10097</u> ACTR2 <u>Related reagents</u>
Synonyms	ARP2
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0 myeloma cell line
Specificity	Mouse anti ACTR2 antibody recognizes actin-related protein 2, also known as ARP2.
	Arp2 and Arp3 are part of the Arp2/3 complex, a multiprotein complex capable of generating branched actin networks. Actin cytoskeleton branching is essential for efficient cell migration, and silencing almost any subunit of the Arp2/3 complex has been shown to lead to a significant decrease in cell migratory capability (Rauhala et al. 2013). When activated, Arp2 and Arp3 are brought together within the complex. The active complex cross-links polymerizing actin filaments and exerts a pushing force (Molinie and Gautreau 2018). Phosphorylation of Arp2 by NIK is required for the activity of the Arp2/3 complex (LeClaire et al. 2015).
Western Blotting	Mouse anti ACTR2 antibody detects a band of approximately 40 kDa in HeLa cell lysates
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VMA00894 Antibody (10040)
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-ra	To d.ფეუკე		
batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M416192:230215'								

Printed on 10 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint