

# Datasheet: VMA00902

| Description:  | MOUSE ANTI RAB5A       |  |  |  |  |
|---------------|------------------------|--|--|--|--|
| Specificity:  | RAB5A                  |  |  |  |  |
| Format:       | Purified               |  |  |  |  |
| Product Type: | PrecisionAb Monoclonal |  |  |  |  |
| Clone:        | rCD01-2G10             |  |  |  |  |
| lsotype:      | lgG2a                  |  |  |  |  |
| Quantity:     | 100 µl                 |  |  |  |  |
|               |                        |  |  |  |  |

### **Product Details**

| Applications    | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |  |   |   |  |  |  |  |
|-----------------|--|--|---|---|--|--|--|--|
|                 | <u></u>  | Yes  | No  | Not Determined  | Suggested Dilution   |  |  |  |
|                 | Western Blotting   |  |   |   | 1/1000   |  |  |  |
|                 | criteria within Bio-Rac<br>how we validate our P   | <b>I's ongoin</b><br>recisionA<br>hique this c | <b>g antibo</b><br>. <b>b range</b> .<br>does not r | <b>dy validation program</b><br>Where this product hat<br>necessarily exclude its | e defined performance<br>nme. Click <u>here</u> to learn<br>s not been tested for<br>use in such procedures. |  |  |  |
| Target Species  | Human  |  |   |   |  |  |  |  |
| Species Cross   | Reacts with: Mouse, Ra   | ıt   |   |   |  |  |  |  |
| Reactivity      | N.B. Antibody reactivity   | and worki                                      | ng conditi  | ions may vary betweer   | n species. Cross   |  |  |  |
|                 | reactivity is derived fron<br>personal communication<br>further information.   | -  |   | •   | •  |  |  |  |
| Product Form    | Purified IgG - liquid  |  |   |   |  |  |  |  |
| Preparation     | Recombinant IgG prepared by affinity chromatography on Protein A from cell culture supernatant   |  |   |   |  |  |  |  |
| Source          | CHO-S  |  |   |   |  |  |  |  |
| Buffer Solution | Phosphate buffered sali  | ne   |   |   |  |  |  |  |

| Preservative<br>Stabilisers       | 0.09% Sodium Azide (NaN <sub>3</sub> )   |  |  |  |  |  |
|-----------------------------------|--|--|--|--|--|--|
| Approx. Protein<br>Concentrations | IgG concentration 1.0 mg/ml  |  |  |  |  |  |
| Immunogen                         | <i>E. coli</i> derived recombinant protein of amino acids 1-215 of human RAB5A   |  |  |  |  |  |
| External Database<br>Links        | UniProt:<br><u>P20339</u> <u>Related reagents</u><br>Entrez Gene:<br><u>5868</u> RAB5A <u>Related reagents</u>   |  |  |  |  |  |
| Synonyms                          | RAB5   |  |  |  |  |  |
| Specificity                       | Mouse anti RAB5A antibody recognizes ras-related protein Rab-5A, also known as RAB5.   |  |  |  |  |  |
|                                   | <ul> <li>RAB5A is a member of the Rab family of small GTPases and acts as an important rate-limiting component for regulation of endocytosis and early endosome fusion, and also plays a role in autophagy (Xu et al. 2018). Accordingly, RAB5A regulates transport between the plasma membrane and early endosomes (Bucci et al. 1994). However, RAB5A plays diverse biological roles. In oocytes during meiosis, the protein is required for control of spindle length and kinetochore-microtubule attachment (Ma et al. 2014). RAB5A is also involved with regulation of T cell motility, important for the adaptive immune response (Ong et al. 2014). Rab proteins play a role in the regulation of cancer progression, and RAB5A is overexpressed in several human cancers (Zhang et al. 2017). More specifically, aberrant RAB5A expression contributes to increased distant metastasis. For example, RAB5A is involved with metastatic potential of lung and gastric cancer (Yu et al. 2015).</li> </ul> |  |  |  |  |  |
| Western Blotting                  | Mouse anti RAB5A antibody detects a band of approximately 25 kDa in HeLa cell lysates  |  |  |  |  |  |
| Storage                           | This product is shipped at ambient temperature.<br>Store undiluted at -20 <sup>o</sup> C, avoiding repeated freeze thaw cycles   |  |  |  |  |  |
| Guarantee                         | As supplied, 12 months from date of despatch   |  |  |  |  |  |
| Acknowledgements                  | PrecisionAb is a trademark of Bio-Rad Laboratories   |  |  |  |  |  |
| Health And Safety<br>Information  | Material Safety Datasheet documentation #10040 available at:<br>https://www.bio-rad-antibodies.com/SDS/VMA00902<br>10040   |  |  |  |  |  |
| Regulatory                        | For research purposes only   |  |  |  |  |  |

## **Related Products**

### MOUSE IgG2a NEGATIVE CONTROL (MCA929)

| North & South | Tel: +1 800 265 7376          | Worldwide | Tel: +44 (0)1865 852 700       | Europe | Tel: +49 (0) 89 8090 95 21           |
|---------------|-------------------------------|-----------|--------------------------------|--------|--------------------------------------|
| America       | Fax: +1 919 878 3751          |           | Fax: +44 (0)1865 852 739       |        | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio- | rad.com   | Email: antibody_sales_uk@bio-r | ad.com | Email: antibody_sales_de@bio-rad.com |

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M441881:250523'

#### Printed on 23 May 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint