

Datasheet: VMA00950

Description:	MOUSE ANTI NDRG1	
Specificity:	NDRG1	
Format:	Purified	
Product Type:	PrecisionAb Monoclonal	
Clone:	GH01/4A7	
Isotype:	lgG1	
Quantity:	100 μΙ	

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <a href="here">here</a> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - Liquid
Preparation	Mouse monoclonal antibody affinity purified on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	E. coli-derived recombinant protein of amino acids 1-394 of human NDRG1

External	Database
Links	

**UniProt:** 

Q92597 Related reagents

**Entrez Gene:** 

10397 NDRG1 Related reagents

Synonyms CAP43, DRG1, RTP

Fusion Partners Spleen cells from immunised BALB/c mice were fused with cells of the mouse SP2/0

myeloma cell line

Specificity Mouse anti NDRG1 antibody recognizes protein NDRG1, also known as DRG-1 and

RTP. NDRG1 is a stress-response protein induced by hypoxia and cell differentiation signals. It has been found to act as a tumor suppressor in a variety of cancer types, suppressing migration, invasion, and metastasis by regulating epithelial-mesenchymal transition (EMT) or downregulating ErbB receptors (Dong et al. 2019). However, NDRG1 may have an oncogenic role in other cancerous conditions, making its role in cancer more complex (Du et al. 2018). For example, overexpression of NDRG1 has been found to be associated with elevated rates of metastasis and mortality in patients with breast cancer (Sevinsky et al. 2018).

Western Blotting Mouse anti NDRG1 detects a band of approximately 45 kDa in HT-1080 cell lysates

Storage Store undiluted at -20°C, avoiding repeated freeze thaw cycles

Guarantee 12 months from date of despatch

**Acknowledgements** PrecisionAb is a trademark of Bio-Rad Laboratories

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/VMA00950

Antibody (10040)

**Regulatory** For research purposes only

## Related Products

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M394610:220215'

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint