

Datasheet: VPA00047

Description:	GOAT ANTI PAI-1
Specificity:	PAI-1
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Paraffin	▪			
ELISA	▪			
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline.
Preservative	0.02% Sodium Azide (NaN ₃)
Stabilisers	0.5% Bovine Serum Albumin
Approx. Protein Concentrations	0.5 mg/ml
Immunogen	Peptide with sequence C-GFKIDDKGMALRH, corresponding to the internal region of PAI-1.

**External Database
Links**

UniProt:

[P05121](#) [Related reagents](#)

Entrez Gene:

[5054](#) SERPINE1 [Related reagents](#)

Synonyms

PAI1, PLANH1

Specificity

Goat anti Human PAI-1 antibody recognizes human plasminogen activator inhibitor 1 (PAI-1), also known as Serpin E1. PAI-1 is a 402 amino acid serine protease inhibitor and the principle inhibitor of tissue plasminogen activator (tPA) and urokinase (uPA)

PAI-1 is present in plasma, platelets and endothelial cells, is expressed at increased levels in various disease states ([Kruithof *et al.* 1988](#)), and has been linked to an increased occurrence of thrombosis in obesity and coronary artery disease ([Oseroff *et al.* 1989](#)). Defects in PAI-1 are characterized by abnormal bleeding ([Takahashi *et al.* 1996](#)).

Goat anti Human PAI-1 antibody recognizes PAI-1 as a single band of 43 kDa in a range of human cell lysates.

Western Blotting

Goat anti PAI-1 detects a band of approximately 43 kDa in MCF7 cell lysates.

References

1. De, B.T. *et al.* (2005) Plasminogen activator inhibitor-1: a common denominator in obesity, diabetes and cardiovascular disease. [Curr Opin Pharmacol. 5 \(2\): 149-54.](#)
2. Berg, D. *et al.* (2012) Profiling signalling pathways in formalin-fixed and paraffin-embedded breast cancer tissues reveals cross-talk between EGFR, HER2, HER3 and uPAR. [J Cell Physiol. 227 \(1\): 204-12.](#)
3. Wolff, C. *et al.* (2011) Signalling networks associated with urokinase-type plasminogen activator (uPA) and its inhibitor PAI-1 in breast cancer tissues: new insights from protein microarray analysis. [J Pathol. 223 \(1\): 54-63.](#)
4. Malinowsky, K. *et al.* (2012) uPA and PAI-1-Related Signaling Pathways Differ between Primary Breast Cancers and Lymph Node Metastases. [Transl Oncol. 5 \(2\): 98-104.](#)
5. Berg, D. *et al.* (2011) Discovery of new molecular subtypes in oesophageal adenocarcinoma. [PLoS One. 6 \(9\): e23985.](#)

Further Reading

1. Lijnen, H.R. (2005) Pleiotropic functions of plasminogen activator inhibitor-1. [J Thromb Haemost. 3 \(1\): 35-45.](#)

Storage

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

Acknowledgements

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety
Information**

Material Safety Datasheet documentation #10058 available at:
<https://www.bio-rad-antibodies.com/SDS/VPA00047>
Antibody (10058)

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M400154:220707'

Printed on 25 Mar 2023