

Datasheet: VPA00048 BATCH NUMBER 091014

Description:	GOAT ANTI TAGLN
Specificity:	TAGLN
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 μΙ

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human	
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary beto reactivity is derived from testing within our laboratories, peer-personal communications from the originators. Please refer to further information.	reviewed publications or
Product Form	Purified IgG - liquid	
Preparation	Goat polyclonal antibody purified by affinity chromatography	
Buffer Solution	TRIS buffered saline	
Preservative Stabilisers	0.02% Sodium Azide (NaN ₃) 0.5% Bovine Serum Albumin	

Immunogen	Synthetic peptide sequence C-MTGYGRPRQIIS from the C-terminal region of TAGLN.
External Database Links	UniProt: Q01995 Related reagents Entrez Gene: 6876 TAGLN Related reagents
Synonyms	SM22, WS3-10
Specificity	Goat anti Human TAGLN antibody recognizes human TAGLN (transgelin), otherwise known as SM22-alpha. TAGLN is a shape change sensitive, actin cross-linking/gelling protein, and a member of the calponin family. TAGLN plays a role in calcium interactions and contractile properties of the cell. TAGLN is ubiquitously expressed by vascular and visceral smooth muscle, is an early marker of smooth muscle differentiation and is overexpressed by senescent human fibroblasts. TAGLN is a tumor suppressor protein (Assinder et al. 2009), with markedly reduced expression in colorectal cancer samples, and may serve as an important biomarker of malignancy. Goat anti Human TAGLN antibody recognizes TAGLN as a band of 22 kDa in a wide range of human cell line lysates. Cross reactivity with rodent cell lines is also observed.
Western Blotting	Goat anti TAGLN detects a band of approximately 22 kDa in HeLa cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00048 Antibody (10058)

Related Products

Regulatory

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

For research purposes only

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M370455:200529'

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | <u>Legal</u> | <u>Imprint</u>