

Datasheet: VPA00058

BATCH NUMBER 166728

GOAT ANTI NPM	
NPM	
Nucleophosmin	
Purified	
PrecisionAb Polyclonal	
Polyclonal IgG	
100 μΙ	

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	-			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click <a href="here">here</a> to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline.
Preservative Stabilisers	0.02% Sodium Azide (NaN <sub>3</sub> ) 0.5% Bovine Serum Albumin

**Immunogen** 

Peptide with sequence C-QEAIQDLWQWRKSL from the C terminus of the protein

sequence.

**External Database** 

Links

**UniProt:** 

P06748 Related reagents

**Entrez Gene:** 

4869 NPM1 Related reagents

**Synonyms** 

NPM

**Specificity** 

Goat anti Human NPM antibody recognizes NPM, also known as nucleophosmin. NPM is a major nucleolar phosphoprotein expressed at notably higher levels in proliferating and tumor cells, compared to resting cells. It plays important roles in ribosome biogenesis, centrosome duplication and cell proliferation.

NPM is a mobile protein which shuttles between the nucleolus and cytoplasm depending upon growth conditions and ATP/GTP levels, and is also influenced by cytotoxic drugs including actinomycin D and camptothecin. NPM interacts with numerous proteins including p19ARF, transcription factor YY1 and nucleolar p120, and is known to regulate the stability and transcriptional activity of p53, a tumor suppressor protein activated in response to DNA damage, capable of inducing cell cycle arrest and apoptosis.

Goat anti Human NPM antibody detects nucleophosmin as a single band of 38 kDa in a range of human cell lysates tested.

Western Blotting

Goat anti NPM detects a band of approximately 38 kDa in K562 cell lysates.

**Storage** 

Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee

12 months from date of despatch.

**Acknowledgements** 

PrecisionAb is a trademark of Bio-Rad Laboratories.

**Health And Safety** Information

Material Safety Datasheet documentation #10058 available at:

https://www.bio-rad-antibodies.com/SDS/VPA00058

Antibody (10058)

Regulatory

For research purposes only.

### Related Products

## **Recommended Secondary Antibodies**

Donkey Anti Sheep IgG (STAR88...) HRP

America

North & South Tel: +1 800 265 7376 Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

### Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint