

Datasheet: VPA00062KT

Description:	DDX5 ANTIBODY WITH CONTROL LYSATE
Specificity:	DDX5 (C-Terminal)
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	20µl Goat polyclonal antibody purified by affinity chromatography
Buffer Solution	TRIS buffered saline
Preservative	0.02% Sodium Azide (NaN ₃)
Stabilisers	0.5% Bovine Serum Albumin
Immunogen	Synthetic peptide sequence C-PMIGYPMPTGYSQ from the C-terminal region of DDX5.
External Database Links	<p>UniProt: P17844 Related reagents</p> <p>Entrez Gene: 1655 DDX5 Related reagents</p>
Synonyms	G17P1, HELR, HLR1

Specificity	<p>Goat anti Human DDX5 antibody recognizes DDX5, otherwise known as p68 RNA helicase, a nuclear protein and member of the DEAD box protein family which exhibit RNA-dependent ATPase activity, and play important roles in RNA metabolism/ function, including pre-mRNA splicing, RNA translation, RNA synthesis and the assembly of RNP complexes.</p> <p>DDX5 interacts with Smad3 and p53 to modulate transcription, and acts as a transcriptional coactivator for estrogen receptor alpha (ERalpha).</p> <p>Goat anti Human DDX5 antibody detects DDX5 as a band of 69 kDa in a range of human cell lines. Cross reactivity with rodent cell lines is also observed.</p>
Western Blotting	Goat anti DDX5 detects a band of approximately 69 kDa in Jurkat cell lysates.
Instructions For Use	Please refer to the PrecisionAb western blotting protocol . For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer.
Lysate Reconstitution	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
Storage	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	<p>Material Safety Datasheet documentation #10058 #10561 available at:</p> <p>Antibody (10058): https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf</p> <p>Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</p>
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M285123:160321'

Printed on 25 May 2018

