

Datasheet: VPA00065KT

Description:	DCTN1 ANTIBODY WITH CONTROL LYSATE
Specificity:	DCTN1
Other names:	DAP-150
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse, Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

20µl Goat polyclonal antibody purified by affinity chromatography

Buffer Solution

TRIS buffered saline

Preservative Stabilisers

0.02% Sodium Azide (NaN₃)
0.5% Bovine Serum Albumin

Immunogen Synthetic peptide sequence C-QEQLHQLHSRLI from the C-terminal region of DCTN1.

External Database Links

UniProt:

[Q14203](#) [Related reagents](#)

Entrez Gene:

[1639](#) DCTN1 [Related reagents](#)

Specificity

Goat anti Human DCTN1 antibody recognizes DCTN1, the largest component of the dynactin complex. The dynactin complex, via DCTN1, regulates the microtubule-based molecular motor complex, dynein. Through this interaction DCTN1 plays a role in ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis.

Goat anti Human DCTN1 antibody detects DCTN1 as a band of 150 kDa in a wide range of human cell lysates. Cross reactivity with rodent cell lines is also observed.

Western Blotting

Goat anti DCTN1 detects a band of approximately 150 kDa in Jurkat cell lysates.

Instructions For Use

Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg Jurkat lysate lyophilized in RIPA buffer.

Lysate Reconstitution

- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee

As supplied, 12 months from date of despatch.

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10058 #10561 available at:
Antibody (10058): <https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf>
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M351835:190318'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)