

Datasheet: VPA00070

Description:	GOAT ANTI SUPEROXIDE DISMUTASE (Cu-Zn)				
Specificity:	SUPEROXIDE DISMUTASE (Cu-Zn)				
Other names:	SOD1				
Format:	Purified				
Product Type:	PrecisionAb Polyclonal				
Isotype:	Polyclonal IgG				
Quantity:	100 µl				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	•			1/1000		
	how we validate our Pr	's ongoin recisionA ique this d	g antibo b range . loes not r	dy validation progran Where this product ha necessarily exclude its	nme. Click <u>here</u> to learn		
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid						
Preparation	Goat polyclonal antibody	v purified b	by affinity	chromatography.			
Buffer Solution	TRIS buffered saline.						
Preservative Stabilisers	0.02% Sodium Azide (Na 0.5% Bovine Serum Albr	0,					

Approx. Protein Concentrations	IgG concentration 0.5 mg/ml					
Immunogen	Synthetic peptide with sequence C-SRKHGGPKDEERH from the internal region of the protein.					
External Database Links	UniProt: <u>P00441</u> <u>Related reagents</u> Entrez Gene: <u>6647</u> SOD1 <u>Related reagents</u>					
Specificity	Goat anti Human superoxide dismutase (Cu-Zn) antibody recognizes superoxide dismutase (Cu-Zn) otherwise known as SOD1. Superoxide dismutases (SOD) are a class of enzymes that catalyze the dismutation of superoxide into oxygen and hydrogen peroxide. As such, they are an important antioxidant defense in nearly all cells exposed to oxygen. There are three major families of superoxide dismutase, depending on the metal cofactor: Cu-Zn (which binds both copper and zinc), Fe and Mn types (which bind either iron or manganese), and finally the Ni type, which binds nickel. Goat anti Human superoxide dismutase (Cu-Zn) antibody detects SOD1 as a single band of 16 kDa in a range of human cell line lysates. Cross reactivity with rodent cell lines is also observed.					
Western Blotting	Goat anti superoxide dismutase (Cu-Zn) detects a band of approximately 16 kDa in Jurkat cell lysates.					
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.					
Guarantee	12 months from date of despatch.					
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.					
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00070 Antibody (10058)					
Regulatory	For research purposes only.					

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint