

## Datasheet: VPA00115

Description:	GOAT ANTI CATENIN GAMMA
Specificity:	CATENIN GAMMA
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further						
	information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/proto	ocols.					
		Yes	No	Not Determined	Suggested Dilution		
	Western Blotting	-			1/1000		
	The PrecisionAb label				•		
	criteria within Bio-Rad	s ongoin	g antibod	y validation program	me. Click <u>here</u> to learn		
	how we validate our Pr	ecisionA	b range. ∖	Where this product has	s not been tested for		
	use in a particular techni Further optimization may	-		•	use in such procedures.		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Goat polyclonal antibody purified by affinity chromatography.						
Buffer Solution	TRIS buffered saline.						
Preservative Stabilisers	0.02% Sodium Azide (N	aN <sub>3</sub> ) 0.5 %	6 BSA				
Immunogen	Peptide with the sequen sequence.	ce C-GLR	PPYPTAE	HMLA, from the C Te	rminus of the protein		
External Database Links	UniProt: <u>P14923</u> <u>Related r</u> Entrez Gene:	eagents					

	3728 JUP Related reagents
Synonyms	CTNNG, DP3
Specificity	Mouse anti Human catenin gamma antibody recognizes catenin gamma, also known as the junction plakoglobin, desmoplakin III or desmoplakin-3.
	Catenin gamma, encoded by the JUP gene, is a major cytoplasmic protein which is the only known constituent common to submembranous plaques of both desmosomes and intermediate junctions. This protein forms distinct complexes with cadherins and desmosomal cadherins and is a member of the catenin family since it contains a distinct repeating amino acid motif called the armadillo repeat. Mutation in JUP has been associated with Naxos disease. Alternative splicing occurs in JUP; however, not all transcripts have been fully described (provided by RefSeq, Jul 2008).
	been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti catenin gamma detects a band of approximately 82 kDa in A431 cell lysates.
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Guarantee	12 months from date of despatch.
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00115 Antibody (10058)
Regulatory	For research purposes only.

## **Related Products**

## **Recommended Secondary Antibodies**

Donkey Anti Sheep IgG (STAR88...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-ra	Worldwide d.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com				
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M428869:240301'									

Printed on 01 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint