

Datasheet: VPA00123

BATCH NUMBER 161214

Description:	GOAT ANTI CCT ALPHA	
Specificity:	CCT ALPHA	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Goat polyclonal antibody purified by affinity chromatography.
Buffer Solution	TRIS buffered saline
Preservative Stabilisers	0.02% Sodium Azide (NaN ₃) 0.5 % BSA
Immunogen	Peptide with the sequence C-SYEDAVHSGALND, from the C Terminus of the protein sequence.
External Database	UniProt:
Links	P17987 Related reagents

Entrez Gene:

6950 TCP1 Related reagents

Synonyms	CCT1, CCTA				
Specificity	Goat anti Human CCT alpha antibody recognizes the CCT alpha protein, also known as T-complex protein 1 subunit alpha (TCP-1-alpha).				
	CCT alpha, encoded by the TCP1 gene, is a molecular chaperone that is a member of the chaperonin containing TCP1 complex (CCT), also known as the TCP1 ring complex (TRiC). This complex consists of two identical stacked rings, each containing eight different proteins. Unfolded polypeptides enter the central cavity of the complex and are folded in an ATP-dependent manner. The complex folds various proteins, including actin and tubulin. Alternate transcriptional splice variants of TCP1, encoding different isoforms, have been characterized. In addition, three pseudogenes that appear to be derived from TCP1 have been found (provided by RefSeq, Jun 2010).				
	Goat anti Human CCT alpha antibody detects a band of 60 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.				
Western Blotting	Anti CCT alpha detects a band of approximately 60 kDa in K562 cell lysates.				
References	1. Yuen, G. <i>et al.</i> (2017) CRISPR/Cas9-mediated gene knockout is insensitive to target copy number but is dependent on guide RNA potency and Cas9/sgRNA threshold expression level. Nucleic Acids Res. 45 (20): 12039-53.				
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.				
Guarantee	12 months from date of despatch				
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.				
Health And Safety Information	Material Safety Datasheet documentation #10058 available at: https://www.bio-rad-antibodies.com/SDS/VPA00123 Antibody (10058)				
Regulatory	For research purposes only				

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) HRP

North & South Tel: +1 800 265 7376

America

Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint