

# Datasheet: VPA00124KT

FUMARATE HYDRATASE
FUMARATE HTDRATASE
Purified
PrecisionAb Polyclonal
Polyclonal IgG
2 Westerns

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
	Western Blotting • 1/1000						
	<b>PrecisionAb antibodies have been extensively</b> <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.						
Target Species	Human						
Species Cross Reactivity	Reacts with: Mouse, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG - liquid						
Preparation	20µl Goat polyclonal antibody purified by affinity chromatography						
Buffer Solution	TRIS buffered saline						
Preservative Stabilisers	0.02% Sodium Azide (NaN <sub>3</sub> ) 0.5 % BSA						
Immunogen	Peptide with the sequence C-HPNDHVNKSQSSND, from the internal region of the protein						

	sequence.						
External Database	UniProt:						
Links	P07954 Related reagents						
	Entrez Gene:						
	2271 FH <u>Related reagents</u>						
Specificity	<b>Goat anti Human fumarate hydratase antibody</b> recognizes the fumarate hydratase, mitochondrial, also known simply as Fumarase.						
	Fumarase, encoded by the FH gene, is an enzymatic component of the tricarboxylic acid (TCA) cycle, or Krebs cycle, and catalyzes the formation of L-malate from fumarate. It exists in both a cytosolic form and an N-terminal extended form, differing only in the translation start site used. The N-terminal extended form is targeted to the mitochondrion, where the removal of the extension generates the same form as in the cytoplasm. It is similar to some thermostable class II fumarases and functions as a homotetramer. Mutations in FH can cause fumarase deficiency and lead to progressive encephalopathy (provided by RefSeq, Jul 2008).						
	Goat anti Human fumarate hydratase antibody detects a band of 50 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.						
Western Blotting	Anti fumarate hydratase detects a band of approximately 50 kDa in Jurkat cell lysates.						
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.						
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer.						
Lysate Reconstitution	<ul> <li>If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</li> <li>If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</li> <li>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</li> </ul>						
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.						
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.						
Guarantee	As supplied, 12 months from date of despatch.						
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.						
Health And Safety Information	Material Safety Datasheet documentation #10058 #10561 available at: Antibody (10058): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf</u>						

**Regulatory** For research purposes only

### **Related Products**

#### **Recommended Secondary Antibodies**

Donkey Anti Sheep IgG (STAR88...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com			
From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com								

'M351878:190318'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint