

Datasheet: VPA00128KT

Description:	PGAM1 ANTIBODY WITH CONTROL LYSATE
Specificity:	PGAM1
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively [validated for the western blot application](#). The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse, Rat

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG - liquid

Preparation

20µl Goat polyclonal antibody purified by affinity chromatography

Buffer Solution

TRIS buffered saline

Preservative Stabilisers

0.02% Sodium Azide (NaN₃) 0.5 % BSA

Immunogen

Peptide with the sequence C-KAMEAVAAQGKAKK, from the C Terminus of the protein

sequence.

External Database**Links****UniProt:**[P18669](#)[Related reagents](#)**Entrez Gene:**[5223](#)

PGAM1

[Related reagents](#)

Synonyms

PGAMA

Specificity

Goat anti Human PGAM1 antibody recognizes phosphoglycerate mutase 1 (PGAM1), also known as BPG-dependent PGAM 1, phosphoglycerate mutase isozyme B or PGAM-B.

Phosphoglycerate mutase 1 is widely distributed in mammalian tissues where it catalyzes the reversible reaction of 3-phosphoglycerate (3-PGA) to 2-phosphoglycerate (2-PGA) in the glycolytic pathway (summary by Chen *et al.*, 1974 (PubMed 4811757)) (supplied by OMIM, Nov 2010).

Goat anti Human PGAM1 antibody detects a band of 28 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting

Anti PGAM1 detects a band of approximately 28 kDa in Jurkat cell lysates.

Instructions For Use

Please refer to the [PrecisionAb western blotting protocol](#). For additional information on secondary antibody dilution and exposure time see product web page.

Lysate Composition

400µg Jurkat lysate lyophilized in RIPA buffer.

Lysate Reconstitution

- If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
- If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.
Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

Storage

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

Guarantee

As supplied, 12 months from date of despatch.

Acknowledgements

PrecisionAb™ is a trademark of Bio-Rad Laboratories.

Health And Safety Information

Material Safety Datasheet documentation #10058 #10561 available at:
Antibody (10058): <https://www.bio-rad-antibodies.com/uploads/MSDS/10058.pdf>
Lysate Material (10561): <https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf>

Related Products

Recommended Secondary Antibodies

Donkey Anti Sheep IgG (STAR88...) [HRP](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products.
Look out for updates on how to access your digital version at bio-rad-antibodies.com

'M351910:190318'

Printed on 09 Feb 2021