

Datasheet: VPA00173

BATCH NUMBER 120315

Description:	RABBIT ANTI HISTONE DEACETYLASE 5
Specificity:	HISTONE DEACETYLASE 5
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) <50% Glycerol
Immunogen	Synthetic peptide corresponding to the internal region surrounding amino acid 661 of human histone deacetylase 5

External Database Links

UniProt:

[Q9UQL6](#)

[Related reagents](#)

Entrez Gene:[10014](#) HDAC5 [Related reagents](#)

Synonyms KIAA0600

Specificity **Rabbit anti Human histone deacetylase 5 antibody** recognizes histone deacetylase 5, also known as HDAC5 and antigen NY-CO-9.

Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by HDAC5 belongs to the class II histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. It coimmunoprecipitates only with HDAC3 family member and might form multicomplex proteins. It also interacts with myocyte enhancer factor-2 (MEF2) proteins, resulting in repression of MEF2-dependent genes. HDAC5 is thought to be associated with colon cancer. Two transcript variants encoding different isoforms have been found for HDAC5 (provided by RefSeq, Jul 2008).

Rabbit anti Human histone deacetylase 5 antibody detects a band of 124 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting Anti histone deacetylase 5 detects a band of approximately 124 kDa in Jurkat cell lysates.

Storage Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Guarantee 12 months from date of despatch

Acknowledgements PrecisionAb is a trademark of Bio-Rad Laboratories.

Health And Safety Information Material Safety Datasheet documentation #10049 available at: <https://www.bio-rad-antibodies.com/SDS/VPA00173>
Antibody (10049)

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)**North & South** Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M370549:200529'

Printed on 13 Aug 2023
