

# Datasheet: VPA00173KT

Description:	HISTONE DEACETYLASE 5 ANTIBODY WITH CONTROL LYSATE			
Specificity:	HISTONE DEACETYLASE 5			
Format:	Purified			
Product Type:	PrecisionAb Polyclonal			
Isotype:	Polyclonal IgG			
Quantity:	2 Westerns			

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>							
	rad-antibodies.com/prot	<u>ocois</u> . Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	-	NU	Not Determined	1/1000			
	PrecisionAb antibodie application. The antibo product has not been te exclude its use in such sample type.	dy has bee sted for us	en validate e in a par	ed at the suggested dil ticular technique this d	ution. Where this loes not necessarily			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) <50% Glycerol							
Immunogen	Synthetic peptide corresponding to the internal region surrounding amino acid 661 of human histone deacetylase 5							
External Database Links	UniProt: <u>Q9UQL6</u> <u>Related</u>	<u>d reagents</u>						

### **Entrez Gene:** 10014 HDAC5 **Related reagents** Synonyms **KIAA0600** Specificity Rabbit anti Human histone deacetylase 5 antibody recognizes histone deacetylase 5, also known as HDAC5 and antigen NY-CO-9. Histones play a critical role in transcriptional regulation, cell cycle progression, and developmental events. Histone acetylation/deacetylation alters chromosome structure and affects transcription factor access to DNA. The protein encoded by HDAC5 belongs to the class II histone deacetylase/acuc/apha family. It possesses histone deacetylase activity and represses transcription when tethered to a promoter. It coimmunoprecipitates only with HDAC3 family member and might form multicomplex proteins. It also interacts with myocyte enhancer factor-2 (MEF2) proteins, resulting in repression of MEF2-dependent genes. HDAC5 is thought to be associated with colon cancer. Two transcript variants encoding different isoforms have been found for HDAC5 (provided by RefSeq, Jul 2008). Rabbit anti Human histone deacetylase 5 antibody detects a band of 124 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. Western Blotting Anti histone deacetylase 5 detects a band of approximately 124 kDa in Jurkat cell lysates. **Instructions For Use** Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page. Lysate Composition 400µg Jurkat lysate lyophilized in RIPA buffer. Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol. Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage. Guarantee As supplied, 12 months from date of despatch. Acknowledgements PrecisionAb<sup>™</sup> is a trademark of Bio-Rad Laboratories. **Health And Safety** Material Safety Datasheet documentation #10049 #10561 available at: Information Antibody (10049): https://www.bio-rad-antibodies.com/uploads/MSDS/10049.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf

## **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com			
From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351159:190315'								

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint