

Datasheet: VPA00189KT

Description:	GGA3 ANTIBODY WITH CONTROL LYSATE		
Specificity:	GGA3		
Format:	Purified		
Product Type:	PrecisionAb Polyclonal		
Isotype:	Polyclonal IgG		
Quantity:	2 Westerns		

### **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

**PrecisionAb antibodies have been extensively** <u>validated for the western blot</u> <u>application.</u> The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species	Human				
Product Form	Purified IgG - liquid				
Preparation	20μl Rabbit polyclonal antibody purified by affinity chromatography				
Buffer Solution	Phosphate buffered saline				
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )  Synthetic peptide corresponding to amino acids 400-415 of human GGA3				
Immunogen					
External Database	UniDraft				
Links	UniProt:				
	Q9NZ52 Related reagents				

**Entrez Gene:** 

## 23163 GGA3 Related reagents

factor-binding protein GGA3 or Golgi-localized, gamma ear-containing, ARF-binding protein 3.  The GGA3 gene encodes a member of the Golgi-localized, gamma adaptin ear-containing, ARF-binding (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosom These proteins share an amino-terminal VHS domain which mediates sorting of the mannose 6-phosphate receptors at the trans-Golgi network. They also contain a carboxy terminal region with homology to the ear domain of gamma-adaptins. Multiple alternative spliced transcript variants have been identified in GGA3 (provided by RefSeq, Feb 2010).  Rabbit anti Human GGA3 antibody detects a band of 90 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Western Blotting  Anti GGA3 detects a band of approximately 90 kDa in MCF7 cell lysates.  Instructions For Use  Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  Lysate Composition  400μg MCF7 lysate lyophilized in RIPA buffer.  Lysate Reconstitution  - If using DDT reconstitute the lyophilized lysate with 190μl DI H <sub>2</sub> O, add 200μl 2x Laemr Sample Buffer and 10μl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180μl DI H <sub>2</sub> O, add 200μl 2x Laemr Sample Buffer and 20μl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage  Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.		
factor-binding protein GGA3 or Golgi-localized, gamma ear-containing, ARF-binding protein 3.  The GGA3 gene encodes a member of the Golgi-localized, gamma adaptin ear-containing, ARF-binding (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosom These proteins share an amino-terminal VHS domain which mediates sorting of the mannose 6-phosphate receptors at the trans-Golgi network. They also contain a carboxy terminal region with homology to the ear domain of gamma-adaptins. Multiple alternative spliced transcript variants have been identified in GGA3 (provided by RefSeq, Feb 2010; Rabbit anti Human GGA3 antibody detects a band of 90 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Western Blotting  Anti GGA3 detects a band of approximately 90 kDa in MCF7 cell lysates.  Instructions For Use  Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  Lysate Composition  Lysate Reconstitution  Lysate Reconstitution  - If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemr Sample Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemr Sample Buffer and 20µl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage  Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  Acknowledgements  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https:/	Synonyms	KIAA0154
ear-containing, ARF-binding (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosom These proteins share an amino-terminal VHS domain which mediates sorting in etwork and the lysosom These proteins share an amino-terminal VHS domain which mediates sorting a carboxy terminal region with homology to the ear domain of gamma-adaptins. Multiple alternative spliced transcript variants have been identified in GGA3 (provided by RefSeq, Feb 2010).  Rabbit anti Human GGA3 antibody detects a band of 90 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  Western Blotting  Anti GGA3 detects a band of approximately 90 kDa in MCF7 cell lysates.  Instructions For Use  Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  Lysate Composition  400µg MCF7 lysate lyophilized in RIPA buffer.  Lysate Reconstitution  - If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laems Sample Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laems Sample Buffer and 20µl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage  Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  Acknowledgements  PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf	Specificity	
extensively validated for western blotting using whole cell lysates.  Western Blotting  Anti GGA3 detects a band of approximately 90 kDa in MCF7 cell lysates.  Instructions For Use Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  Lysate Composition  400µg MCF7 lysate lyophilized in RIPA buffer.  Lysate Reconstitution  If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemr Sample Buffer and 10µl 2M DTT.  If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemr Sample Buffer and 20µl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage  Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  Acknowledgements  PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf  Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf		ear-containing, ARF-binding (GGA) family. This family includes ubiquitous coat proteins that regulate the trafficking of proteins between the trans-Golgi network and the lysosome.
Instructions For Use Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.  Lysate Composition 400μg MCF7 lysate lyophilized in RIPA buffer.  Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190μl DI H₂O, add 200μl 2x Laemr Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H₂O, add 200μl 2x Laemr Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee As supplied, 12 months from date of despatch.  Acknowledgements PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf		•
Storage  Autibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  Acknowledgements  Material Safety Information  Autibody: https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf  Autipos/10561.pdf	Western Blotting	Anti GGA3 detects a band of approximately 90 kDa in MCF7 cell lysates.
Lysate Reconstitution - If using DDT reconstitute the lyophilized lysate with 190μl DI H₂O, add 200μl 2x Laemr Sample Buffer and 10μl 2M DTT If using BME reconstitute the lyophilized lysate with 180μl DI H₂O, add 200μl 2x Laemr Sample Buffer and 20μl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25μl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee As supplied, 12 months from date of despatch.  Acknowledgements PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Health And Safety Information Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf	Instructions For Use	
Sample Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemr Sample Buffer and 20µl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  Storage  Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf	Lysate Composition	400μg MCF7 lysate lyophilized in RIPA buffer.
Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  Guarantee  As supplied, 12 months from date of despatch.  PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Health And Safety Information  Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>	Lysate Reconstitution	Sample Buffer and 10µl 2M DTT.  - If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.  Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb
up to 3 months or at -80°C for longer term storage.  Guarantee As supplied, 12 months from date of despatch.  Acknowledgements PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Health And Safety Information Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>	Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
Acknowledgements  PrecisionAb™ is a trademark of Bio-Rad Laboratories.  Health And Safety Information  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>		Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Health And Safety Information  Material Safety Datasheet documentation #10040 #10561 available at:  Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>	Guarantee	As supplied, 12 months from date of despatch.
Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>	Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Regulatory For research purposes only		Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
• • •	Regulatory	For research purposes only

# **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351106:190315'

### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint