

# Datasheet: VPA00192KT

| Description:  | AKT2 ANTIBODY WITH CONTROL LYSATE |
|---------------|-----------------------------------|
| Specificity:  | AKT2                              |
| Format:       | Purified                          |
| Product Type: | PrecisionAb Polyclonal            |
| Isotype:      | Polyclonal IgG                    |
| Quantity:     | 2 Westerns                        |

## **Product Details**

| Applications                | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> . |                          |                          |   |   |  |  |  |
|-----------------------------|--|--------------------------|--------------------------|---|---|--|--|--|
|                             | Western Blotting   | -                        |                          |   | 1/1000                                    |  |  |  |
|                             | <b>PrecisionAb antibodies</b><br><u>application.</u> The antibod<br>product has not been tes<br>exclude its use in such p<br>sample type.  | ly has bee<br>ted for us | en validat<br>e in a pai | ed at the suggested dil<br>ticular technique this d | ution. Where this<br>loes not necessarily |  |  |  |
| Target Species              | Human  |                          |                          |   |   |  |  |  |
| Species Cross<br>Reactivity | Reacts with: Mouse, Rat<br><b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross<br>reactivity is derived from testing within our laboratories, peer-reviewed publications or<br>personal communications from the originators. Please refer to references indicated for<br>further information.   |                          |                          |   |   |  |  |  |
| Product Form                | Purified IgG - liquid  |                          |                          |   |   |  |  |  |
| Preparation                 | 20µl Rabbit polyclonal antibody purified by affinity chromatography  |                          |                          |   |   |  |  |  |
| Buffer Solution             | Phosphate buffered salin   | e                        |                          |   |   |  |  |  |
| Preservative<br>Stabilisers | 0.09% Sodium Azide (Na   | aN <sub>3</sub> )        |                          |   |   |  |  |  |
| Immunogen                   | Synthetic peptide corresp  | conding to               | o aa 455-4               | 468 (of 481) of human .                             | AKT2 conjugated to                        |  |  |  |

| External Database<br>Links       | UniProt:  |
|----------------------------------|---|
|                                  | P31751 Related reagents   |
|                                  | Entrez Gene:  |
|                                  | 208 AKT2 Related reagents   |
| Specificity                      | <b>Rabbit anti Human AKT2 antibody</b> recognizes AKT2, also known as PKB beta,<br>RAC-PK-beta, RAC-beta serine/threonine-protein kinase, murine thymoma viral (v-akt)<br>homolog-2, protein kinase Akt-2, protein kinase B beta and rac protein kinase beta.   |
|                                  | AKT2 is a putative oncogene encoding a protein belonging to a subfamily of serine/threonine kinases containing SH2-like (Src homology 2-like) domains. The gene was shown to be amplified and overexpressed in 2 of 8 ovarian carcinoma cell lines and 2 of 15 primary ovarian tumors. Overexpression contributes to the malignant phenotype of a subset of human ductal pancreatic cancers. The encoded protein is a general protein kinase capable of phophorylating several known proteins (provided by RefSeq, Jul 2008). |
|                                  | Rabbit anti Human AKT2 antibody detects a band of 56 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.  |
| Western Blotting                 | Anti AKT2 detects a band of approximately 56 kDa in K562 cell lysates.  |
| Instructions For Use             | Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.  |
| Lysate Composition               | 400µg K562 lysate lyophilized in RIPA buffer.   |
| Lysate Reconstitution            | - If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.  |
|                                  | - If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.   |
|                                  | Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.  |
| Storage                          | Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.   |
|                                  | Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.  |
| Guarantee                        | As supplied, 12 months from date of despatch.   |
| Acknowledgements                 | PrecisionAb <sup>™</sup> is a trademark of Bio-Rad Laboratories.  |
| Health And Safety<br>Information | Material Safety Datasheet documentation #10040 #10561 available at:<br>Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u><br>Lysate Material (10561): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</u>  |

## **Related Products**

### **Recommended Secondary Antibodies**

### Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

| North & South | Tel: +1 800 265 7376                 | Worldwide | Tel: +44 (0)1865 852 700     | Europe   | Tel: +49 (0) 89 8090 95 21           |
|---------------|--------------------------------------|-----------|------------------------------|----------|--------------------------------------|
| America       | Fax: +1 919 878 3751                 |           | Fax: +44 (0)1865 852 739     |          | Fax: +49 (0) 89 8090 95 50           |
|               | Email: antibody_sales_us@bio-rad.com |           | Email: antibody_sales_uk@bic | -rad.com | Email: antibody_sales_de@bio-rad.com |
|               |                                      |           |                              |          |                                      |

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351016:190315'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint