

Datasheet: VPA00224 BATCH NUMBER 151204

Description:	escription: RABBIT ANTI TAK1	
Specificity:	TAK1	
Format:	Purified	
Product Type:	PrecisionAb Polyclonal	
Isotype:	Polyclonal IgG	
Quantity:	100 μΙ	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	•			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click here to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Rabbit polyclonal antibody purified by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)

Immunogen	KLH conjugated synthetic peptide between 574-606 amino acids from the C-terminal region of human TAK1		
External Database Links	UniProt: O43318 Related reagents		
	Entrez Gene: 6885 MAP3K7 Related reagents		
Synonyms	TAK1		
Specificity	Rabbit anti Human TAK1 antibody recognizes TGF-beta activated kinase 1 (TAK1), also known as mitogen-activated protein kinase kinase 7 and transforming growth factor-beta-activated kinase 1.		
	Encoded by MAP3K7 gene, TAK1 is a member of the serine/threonine protein kinase family. This kinase mediates the signaling transduction induced by TGF beta and morphogenetic protein (BMP), and controls a variety of cell functions including transcription regulation and apoptosis. In response to IL-1, this protein forms a kinase complex including TRAF6, MAP3K7P1/TAB1 and MAP3K7P2/TAB2; this complex is required for the activation of nuclear factor kappa B. This kinase can also activate MAPK8/JNK, MAP2K4/MKK4, and thus plays a role in the cell response to environmental stresses. Four alternatively spliced transcript variants encoding distinct isoforms have been reported (provided by RefSeq, Jul 2008).		
	Rabbit anti Human TAK1 antibody detects a band of 82 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.		
Western Blotting	Anti TAK1 detects a band of approximately 82 kDa in HeLa cell lysates		
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.		
Guarantee	12 months from date of despatch		
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.		
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VPA00224 Antibody (10040)		
Regulatory	For research purposes only		

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 Worldwide Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 То Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50 find a Email: antibody_sales_de@bio-rad.com

Email: antibody_sales_us@bio-rad.com Email: antibody_sales_uk@bio-rad.com

batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M370588:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint