

Datasheet: VPA00263

BATCH NUMBER 160415

Description:	RABBIT ANTI DYNACTIN 2
Specificity:	DYNACTIN 2
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

Target Species	Human
Product Form	Ig fraction - liquid
Preparation	Rabbit Ig fraction prepared by ammonium sulphate precipitation
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Immunogen	KLH-conjugated synthetic peptide corresponding to aa 192-219 of human dynactin 2
External Database Links	UniProt: Q13561 Related reagents

Entrez Gene:[10540](#) DCTN2 [Related reagents](#)

Synonyms DCTN50

Specificity **Rabbit anti Human dynactin 2 antibody** recognizes dynactin 2, also known as dynamitin, epididymis secretory protein Li 77 and p50 dynamitin.

The dynactin 2 gene encodes a 50 kDa subunit of dynactin, a macromolecular complex consisting of 10-11 subunits ranging in size from 22 to 150 kDa. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 4-5 copies per dynactin molecule. It contains three short alpha-helical coiled-coil domains that may mediate association with self or other dynactin subunits. It may interact directly with the largest subunit (p150) of dynactin and may affix p150 in place. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for dynactin 2 (provided by RefSeq, May 2012).

Rabbit anti Human dynactin 2 antibody detects a band of 44 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

Western Blotting Anti dynactin 2 detects a band of approximately 44 kDa in MCF7 cell lysate

Storage Store undiluted at -20°C, avoiding repeated freeze thaw cycles

Guarantee 12 months from date of despatch

Acknowledgements PrecisionAb is a trademark of Bio-Rad Laboratories.

Health And Safety Information Material Safety Datasheet documentation #10040 available at: <https://www.bio-rad-antibodies.com/SDS/VPA00263>
Antibody (10040)

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)**North & South** Tel: +1 800 265 7376**America** Fax: +1 919 878 3751Email: antibody_sales_us@bio-rad.com**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M370625:200529'

Printed on 25 Mar 2023

