

## Datasheet: VPA00283KT

<b>Description:</b>	MICA ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	MICA
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Polyclonal
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	2 Westerns

### Product Details

#### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

<b>Target Species</b>	Human
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	20µl Rabbit polyclonal antibody purified by affinity chromatography
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Immunogen</b>	KLH-conjugated synthetic peptide corresponding to aa 68-97 of human MICA
<b>External Database Links</b>	<b>UniProt:</b> <a href="#">Q29983</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b>

---

<b>Synonyms</b>	PERB11.1
-----------------	----------

---

<b>Specificity</b>	<p><b>Rabbit anti Human MICA antibody</b> recognizes MICA also known as HLA class I antigen, MHC class I chain-related protein A and stress inducible class I homolog.</p> <p>The MICA gene encodes the highly polymorphic MHC (HLA) class I chain-related gene A. The protein product is expressed on the cell surface, and unlike canonical class I molecules does not seem to associate with beta-2-microglobulin. It is thought that MICA functions as a stress-induced antigen that is broadly recognized by intestinal epithelial gamma delta T cells. Alternative splicing results in multiple transcript variants (provided by RefSeq, Nov 2010). br&gt; Rabbit anti Human MICA antibody detects a band of 43 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
--------------------	---

---

<b>Western Blotting</b>	Anti MICA detects a band of approximately 43 kDa in MCF7 cell lysate
-------------------------	--

---

<b>Instructions For Use</b>	Please refer to the <a href="#">PrecisionAb western blotting protocol</a> . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	---

---

<b>Lysate Composition</b>	400µg MCF7 lysate lyophilized in RIPA buffer
---------------------------	--

---

<b>Lysate Reconstitution</b>	<p>- If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.</p> <p>- If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.</p> <p>Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.</p>
------------------------------	--

---

<b>Storage</b>	<p>Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.</p> <p>Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.</p>
----------------	--

---

<b>Guarantee</b>	As supplied, 12 months from date of despatch
------------------	--

---

<b>Acknowledgements</b>	PrecisionAb™ is a trademark of Bio-Rad Laboratories
-------------------------	---

---

<b>Health And Safety Information</b>	<p>Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a></p>
--------------------------------------	---

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

<b>North &amp; South America</b>	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: <a href="mailto:antibody_sales_us@bio-rad.com">antibody_sales_us@bio-rad.com</a>	<b>Worldwide</b>	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: <a href="mailto:antibody_sales_uk@bio-rad.com">antibody_sales_uk@bio-rad.com</a>	<b>Europe</b>	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: <a href="mailto:antibody_sales_de@bio-rad.com">antibody_sales_de@bio-rad.com</a>
----------------------------------	---	------------------	---	---------------	---

From March 15, 2021, we will no longer supply printed datasheets with our products.  
Look out for updates on how to access your digital version at [bio-rad-antibodies.com](http://bio-rad-antibodies.com)

'M351674:190318'

**Printed on 10 Feb 2021**

---

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)