

Datasheet: VPA00292KT

Acception.	RAD54L ANTIBODY WITH CONTROL LYSATE
Description:	
specificity:	RAD54L
ormat:	Purified
Product Type:	PrecisionAb Polyclonal
sotype:	Polyclonal IgG
Quantity:	2 Westerns

Product Details

Applications	This product has been re derived from testing with communications from the information. For general <u>rad-antibodies.com/proto</u>	in our labo e originato protocol re	oratories, rs. Pleas	peer-reviewed publicat e refer to references inc	ions or personal dicated for further
	Western Blotting				1/1000
	PrecisionAb antibodies application. The antibod product has not been tes exclude its use in such p sample type.	ly has bee ited for us	en validat e in a par	ed at the suggested dilu ticular technique this d	ution. Where this oes not necessarily
Target Species	Human				
Species Cross Reactivity	Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.				
Product Form	Purified IgG - liquid				
Preparation	20µl Rabbit polyclonal ar	ntibody pu	rified by a	affinity chromatography	
Buffer Solution	Phosphate buffered salin	е			
Preservative Stabilisers	0.09% Sodium Azide (Na	aN ₃)			
Immunogen	KLH-conjugated syntheti	c peptide	correspo	nding to aa 634-663 of	human RAD54L

External Database Links	UniProt: Q92698 Related reagents			
	Entrez Gene: 8438 RAD54L Related reagents			
Synonyms	RAD54A			
Specificity	Rabbit anti Human RAD54L antibody recognizes the DNA repair and recombination protein RAD54L, also known as RAD54A and RAD54 homolog of S. cerevisiae.			
	The protein encoded by the RAD54L gene belongs to the DEAD-like helicase superfamily, and shares similarity with Saccharomyces cerevisiae Rad54, a protein known to be involved in the homologous recombination and repair of DNA. This protein has been shown to play a role in homologous recombination related repair of DNA double-strand breaks. The binding of this protein to double-strand DNA induces a DNA topological change, which is thought to facilitate homologous DNA paring, and stimulate DNA recombination. Alternative splicing results in multiple transcript variants encoding the same protein (provided by RefSeq, Dec 2008).			
	Rabbit anti RAD54L antibody detects a band of 84 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.			
Western Blotting	Anti RAD54L detects a band of approximately 84 kDa in Jurkat cell lysate			
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.			
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer			
Lysate Reconstitution	 If using DDT reconstitute the lyophilized lysate with 190µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. If using BME reconstitute the lyophilized lysate with 180µl DI H₂O, add 200µl 2x Laemmli Sample Buffer and 200µl PME. 			
	Sample Buffer and 20µI BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µI. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.			
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.			
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.			
Guarantee	As supplied, 12 months from date of despatch			
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories			
Health And Safety	Material Safety Datasheet documentation #10040 #10561 available at:			

Informati	• •	oads/MSDS/10040.pdf pm/uploads/MSDS/10561.pdf				
Regulato	ry For research	For research purposes only				
Relate	d Products					
Recomm	nended Secondary Ant	ibodies				
Goat Ant	i Rabbit IgG (H/L) (STAR20	08) <u>HRF</u>	-			
North & South America	Tel: +1 800 265 7376 V Fax: +1 919 878 3751	Vorldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50	
linonou	Email: antibody_sales_us@bio-rad.co	om	Email: antibody_sales_uk@bio-	rad.com	Email: antibody_sales_de@bio-rad.com	
	From March 15, 202	21, we will	no longer supply printed d	atasheets wi	th our products.	
	Look out for update	s on how t	o access your digital versio 'M351410:190318'	on at bio-rad-	antibodies.com	
			Printed on 10 Feb 2021			

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint