

## Datasheet: VPA00309

<b>Description:</b>	RABBIT ANTI HIGH MOBILITY GROUP PROTEIN HMGI-C
<b>Specificity:</b>	HIGH MOBILITY GROUP PROTEIN HMGI-C
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb Polyclonal
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	100 µl

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**The PrecisionAb label is reserved for antibodies that meet the defined performance criteria within Bio-Rad's ongoing antibody validation programme. Click [here](#) to learn how we validate our PrecisionAb range.** Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependent on sample type.

<b>Target Species</b>	Human
<b>Species Cross Reactivity</b>	Reacts with: Mouse, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
<b>Product Form</b>	Purified IgG - liquid
<b>Preparation</b>	Rabbit polyclonal antibody purified by affinity chromatography.
<b>Buffer Solution</b>	Phosphate buffered saline.
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> ).
<b>Immunogen</b>	KLH-conjugated synthetic peptide corresponding to aa 15-49 of human high mobility group protein HMGI-C

<b>External Database Links</b>	<b>UniProt:</b> <a href="#">P52926</a> <a href="#">Related reagents</a>  <b>Entrez Gene:</b> <a href="#">8091</a> HMGA2 <a href="#">Related reagents</a>
<b>Synonyms</b>	HMGIC
<b>Specificity</b>	<p><b>Rabbit anti Human high mobility group protein HMGI-C antibody</b> recognizes high-mobility group protein HMGI-C also known as high mobility group AT-hook 2 and HMGA2.</p> <p>Encoded by the HMGA2 gene, high mobility group protein HMGI-C belongs to the non-histone chromosomal high mobility group (HMG) protein family. HMG proteins function as architectural factors and are essential components of the enhanceosome. This protein contains structural DNA-binding domains and may act as a transcriptional regulating factor. Identification of the deletion, amplification, and rearrangement of HMGA2 that are associated with myxoid liposarcoma suggests a role in adipogenesis and mesenchymal differentiation. A gene knock out study of the mouse counterpart demonstrated that HMGA2 is involved in diet-induced obesity. Alternate transcriptional splice variants, encoding different isoforms, have been characterized (provided by RefSeq, Jul 2008).</p> <p>Rabbit anti Human high mobility group protein HMGI-C antibody detects a band of 18 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.</p>
<b>Western Blotting</b>	Anti high mobility group protein HMGI-C detects a band of approximately 18 kDa in HepG2 cell lysate.
<b>Storage</b>	Store undiluted at -20°C, avoiding repeated freeze thaw cycles.
<b>Guarantee</b>	12 months from date of despatch.
<b>Acknowledgements</b>	PrecisionAb is a trademark of Bio-Rad Laboratories.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>
<b>Regulatory</b>	For research purposes only.

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

'M401191:220714'

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

**Printed on 14 Jul 2022**

---

© 2022 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)