

# Datasheet: VPA00323KT

Description:	NXF1 ANTIBODY WITH CONTROL LYSATE
Specificity:	NXF1
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	2 Westerns

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	p	Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	-			1/1000			
	application. The ant product has not beer	ibody has bee n tested for us	en validate e in a par	<b>sively <u>validated for th</u></b> ed at the suggested dil ticular technique this d optimization may be re	ution. Where this oes not necessarily			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	20µl Rabbit polyclonal antibody purified by affinity chromatography							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )							
Immunogen	KLH-conjugated synt	thetic peptide	correspor	nding to aa 1-30 of hun	nan NXF1			
External Database Links	UniProt: <u>Q9UBU9</u> Rela Entrez Gene:	ated reagents						

	10482 NXF1 Related reagents					
Synonyms	ТАР					
Specificity	<b>Rabbit anti Human NXF1 antibody</b> recognizes NFX1, also known as mRNA export factor TAP and tip-associated protein.					
	The NXF1 gene is one member of a family of nuclear RNA export factor genes. Common domain features of this family include a non-canonical RNP-type RNA-binding domain (RBD), 4 leucine-rich repeats (LRRs), a nuclear transport factor 2 (NTF2)-like domain that allows hetero-dimerization with NTF2-related export protein-1 (NXT1), and a ubiquitin-associated domain that mediates interactions with nucleo-porins. The LRRs and NTF2-like domains are required for export activity. Alternative splicing seems to be a common mechanism in NXF1 family. The encoded protein of NXF1 shuttles between the nucleus and the cytoplasm and binds in vivo to poly(A)+ RNA. It is the vertebrate homologue of the yeast protein Mex67p. The encoded protein overcomes the mRNA export block caused by the presence of saturating amounts of CTE (constitutive transport element) RNA of type D retroviruses. Alternative splicing results in multiple transcript variants (provided by RefSeq, Jul 2008).					
	Rabbit anti Human NXF1 antibody detects a band of 70 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.					
Western Blotting	Anti NXF1 detects a band of approximately 70 kDa in Jurkat cell lysate					
Instructions For Use	Please refer to the <u>PrecisionAb western blotting protocol</u> . For additional information on secondary antibody dilution and exposure time see product web page.					
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer					
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.					
	- If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.					
	Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.					
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.					
	Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.					
Guarantee	As supplied, 12 months from date of despatch					
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories					
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</u>					

Regulatory For research purposes only

### **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50			
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com			
From March 15, 2021, we will no longer supply printed datasheets with our products.								

Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351900:190318'

#### Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint