

Datasheet: VPA00328KT

| Description:  | PPP2R2A ANTIBODY WITH CONTROL LYSATE |
|---------------|--------------------------------------|
| Specificity:  | PPP2R2A                              |
| Format:       | Purified                             |
| Product Type: | PrecisionAb Polyclonal               |
| Isotype:      | Polyclonal IgG                       |
| Quantity:     | 2 Westerns                           |
|               |                                      |

## **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                  | Yes | No | Not Determined | Suggested Dilution |
|------------------|-----|----|----------------|--------------------|
| Western Blotting |     |    |                | 1/1000             |

PrecisionAb antibodies have been extensively <u>validated for the western blot</u> <u>application</u>. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

| Target Species              | Human   |
|-----------------------------|---|
| Species Cross<br>Reactivity | Reacts with: Mouse  N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. |
| Product Form                | Purified IgG - liquid   |
| Preparation                 | 20µl Rabbit polyclonal antibody purified by affinity chromatography   |
| Buffer Solution             | Phosphate buffered saline   |
| Preservative<br>Stabilisers | 0.09% Sodium Azide (NaN <sub>3</sub> )  |
| Immunogen                   | KLH-conjugated synthetic peptide corresponding to aa 126-160 of human PPP2R2A   |

## **External Database** Links

## **UniProt:**

P63151 Related reagents

## **Entrez Gene:**

5520 PPP2R2A Related reagents

## **Specificity**

Rabbit anti Human PPP2R2A antibody recognizes PPP2R2A, also known as protein phosphatase 2 (formerly 2A), regulatory subunit B (PR52) alpha isoform, 55 kDa regulatory subunit B, alpha isoform and serine/threonine-protein phosphatase 2A.

The product of the PPP2R2A gene belongs to the phosphatase 2 regulatory subunit B family. Protein phosphatase 2 is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, which associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. The PPP2R2A gene encodes an alpha isoform of the regulatory subunit B55 subfamily. Alternatively spliced transcript variants have been described (provided by RefSeq, Apr 2010).

Rabbit anti Human PPP2R2A antibody detects a band of 52 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

## **Western Blotting**

Anti PPP2R2A detects a band of approximately 52 kDa in HeLa cell lysate

### **Instructions For Use**

Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.

## **Lysate Composition**

400µg HeLa lysate lyophilized in RIPA buffer

- Lysate Reconstitution If using DDT reconstitute the lyophilized lysate with 190µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT.
  - If using BME reconstitute the lyophilized lysate with 180µl DI H<sub>2</sub>O, add 200µl 2x Laemmli Sample Buffer and 20µl BME.

Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.

## **Storage**

Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.

Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.

### Guarantee

As supplied, 12 months from date of despatch

## **Acknowledgements**

PrecisionAb™ is a trademark of Bio-Rad Laboratories

## **Health And Safety** Information

Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Regulatory For research purposes only

# **Related Products**

# **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South Tel: +1 800 265 7376 America

Worldwide Tel: +44 (0)1865 852 700 Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M351338:190318'

## Printed on 10 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint