# Datasheet: VPA00339 BATCH NUMBER 160309

Description:	RABBIT ANTI STAM
Specificity:	STAM
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
	rad-antibodies.com/prot	Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	•			1/1000			
	criteria within Bio-Rad how we validate our P	<b>I's ongoin</b> recisionA hique this c	<b>g antibo</b> . <b>b range</b> . does not r	<b>dy validation program</b> Where this product has necessarily exclude its	e defined performance ame. Click <u>here</u> to learn s not been tested for use in such procedures.			
Target Species	Human							
Species Cross Reactivity	Reacts with: Mouse <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.							
Product Form	lg fraction - liquid							
Preparation	Rabbit Ig fraction prepared by ammonium sulphate precipitation							
Buffer Solution	Phosphate buffered sali	ne						
Preservative Stabilisers	0.09% Sodium Azide (N	laN <sub>3</sub> )						

External Database Links	UniProt:			
LIIKS	Q92783 Related reagents			
	Entrez Gene:			
	8027 STAM Related reagents			
Synonyms	STAM1			
Specificity	<b>Rabbit anti Human STAM antibody</b> recognizes STAM, also known as signal transducing adapter molecule 1 and HSE1 homolog, signal transducing adapter molecule 1.			
	The STAM gene encodes a member of the signal-transducing adaptor molecule family. These proteins mediate downstream signaling of cytokine receptors and also play a role in ER to Golgi trafficking by interacting with the coat protein II complex. The STAM gene encoded protein also associates with hepatocyte growth factor-regulated substrate to form the endosomal sorting complex required for transport-0 (ESCRT-0), which sorts ubiquitinated membrane proteins to the ESCRT-1 complex for lysosomal degradation. Alternatively spliced transcript variants have been observed for STAM (provided by RefSeq, Feb 2011).			
	Rabbit anti Human STAM antibody detects a band of 59 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.			
Western Blotting	Anti STAM detects a band of approximately 59 kDa in Jurkat cell lysate			
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles			
Guarantee	12 months from date of despatch			
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.			
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VPA00339 Antibody (10040)			
Regulatory	For research purposes only			

### **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-r	ad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

#### Printed on 13 Aug 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint