

## Datasheet: VPA00346KT

<b>Description:</b>	UBE4B ANTIBODY WITH CONTROL LYSATE
<b>Specificity:</b>	UBE4B
<b>Format:</b>	Purified
<b>Product Type:</b>	PrecisionAb™ Polyclonal
<b>Isotype:</b>	Polyclonal IgG
<b>Quantity:</b>	2 Westerns

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

**PrecisionAb antibodies have been extensively [validated for the western blot application](#).** The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

<b>Target Species</b>	Human
<b>Product Form</b>	Ig fraction - liquid
<b>Preparation</b>	20µl Rabbit Ig fraction prepared by ammonium sulphate precipitation
<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )
<b>Immunogen</b>	KLH-conjugated synthetic peptide corresponding to aa 112-142 of human UBE4B
<b>External Database Links</b>	<p><b>UniProt:</b>  <a href="#">O95155</a>   <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b>  <a href="#">10277</a> UBE4B   <a href="#">Related reagents</a></p>
<b>Synonyms</b>	HDNB1, KIAA0684, UFD2
<b>Specificity</b>	<b>Rabbit anti Human UBE4B antibody</b> recognizes UBE4B, also known as UBOX3, UFD2A-III/UBE4B-III splice isoform, homologous to yeast UFD2, homozygously deleted in neuroblastoma-1, ubiquitin conjugation factor E4B, ubiquitin-fusion degradation protein 2 and

ubiquitination factor E4B (homologous to yeast UFD2).

The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes, or E1s, ubiquitin-conjugating enzymes, or E2s, and ubiquitin-protein ligases, or E3s. The UBE4B gene encodes an additional conjugation factor, E4, which is involved in multi-ubiquitin chain assembly. UBE4B is also the strongest neuroblastoma tumor suppressor gene. Alternatively spliced transcript variants encoding distinct isoforms have been found for UBE4B (provided by RefSeq, Jul 2008).

Rabbit anti Human UBE4B antibody detects a band of 140 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.

---

<b>Western Blotting</b>	Anti UBE4B detects a band of approximately 140 kDa in K562 cell lysate
-------------------------	--

---

<b>Instructions For Use</b>	Please refer to the <a href="#">PrecisionAb western blotting protocol</a> . For additional information on secondary antibody dilution and exposure time see product web page.
-----------------------------	---

---

<b>Lysate Composition</b>	400µg K562 lysate lyophilized in RIPA buffer
---------------------------	--

---

<b>Lysate Reconstitution</b>	- If using DDT reconstitute the lyophilized lysate with 190µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H <sub>2</sub> O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
------------------------------	---

---

<b>Storage</b>	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles.  Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
----------------	---

---

<b>Guarantee</b>	As supplied, 12 months from date of despatch
------------------	--

---

<b>Acknowledgements</b>	PrecisionAb™ is a trademark of Bio-Rad Laboratories
-------------------------	---

---

<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a> Lysate Material (10561): <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf</a>
--------------------------------------	--

---

<b>Regulatory</b>	For research purposes only
-------------------	----------------------------

---

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) [HRP](#)

**North & South America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700  
Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21  
Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M338916:181217'

