## Datasheet: VPA00347 BATCH NUMBER 160309

Description:	RABBIT ANTI VASP
Specificity:	VASP
Format:	Purified
Product Type:	PrecisionAb Polyclonal
Isotype:	Polyclonal IgG
Quantity:	100 µl

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Western Blotting	-			1/1000			
	how we validate our Pr	<b>s ongoin</b> <b>ecisionA</b> ique this d	g antibod b range. \ loes not n	<b>ly validation program</b> Where this product ha ecessarily exclude its	nme. Click <u>here</u> to learn			
Target Species	Human							
Product Form	Purified IgG - liquid							
Preparation	Rabbit polyclonal antibody purified by affinity chromatography							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )							
Approx. Protein Concentrations	IgG concentration 0.5 m	g/ml						
Immunogen	KLH-conjugated synthet	ic peptide	correspor	nding to aa 267-296 of	f human VASP			

External Database Links	UniProt: <u>P50552</u> <u>Related reagents</u> Entrez Gene: <u>7408</u> VASP <u>Related reagents</u>					
Specificity	<b>Rabbit anti Human VASP antibody</b> recognizes VASP also known as vasodilator- stimulated phosphoprotein.					
	VASP is a member of the Ena-VASP protein family. Ena-VASP family members contain an EHV1 N-terminal domain that binds proteins containing E/DFPPPXD/E motifs and targets Ena-VASP proteins to focal adhesions. In the mid-region of the protein, family members have a proline-rich domain that binds SH3 and WW domain-containing proteins. Their C-terminal EVH2 domain mediates tetramerization and binds both G and F actin. VASP is associated with filamentous actin formation and likely plays a widespread role in cell adhesion and motility. VASP may also be involved in the intracellular signaling pathways that regulate integrin-extracellular matrix interactions. VASP is regulated by the cyclic nucleotide-dependent kinases PKA and PKG (provided by RefSeq, Jul 2008). Rabbit anti Human VASP antibody detects a band of 50 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.					
Western Blotting	Anti VASP detects a band of approximately 50 kDa in HeLa cell lysate					
Storage	Store undiluted at -20°C, avoiding repeated freeze thaw cycles					
Guarantee	12 months from date of despatch					
Acknowledgements	PrecisionAb is a trademark of Bio-Rad Laboratories.					
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/VPA00347 Antibody (10040)					
Regulatory	For research purposes only					

## **Related Products**

## **Recommended Secondary Antibodies**

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M375811:210112'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint